# Institute of Physics Sri Lanka



# PROCEEDINGS 37<sup>th</sup> TECHNICAL SESSION

**March 2021** 

Vidya Mandiraya, 120/10, Wijerama Mawatha, Colombo 07, Sri

## The effect of surface plasmon resonance on the photovoltaic properties of CdS quantum dot sensitized solar cells

W.I. Sandamali<sup>1,2,</sup>, G.K.R, Senadeera<sup>1,2,\*</sup>, , M.A.K.L. Dissanayake<sup>2</sup>, T. Jaseetharan<sup>2,3</sup>, V.P.S. Perera<sup>1</sup>, J.C.N. Rajendra<sup>1</sup>, N. Karthikeyan<sup>1</sup> and L.A. Wijenayaka<sup>4</sup>

<sup>1</sup> Department of Physics, The Open University of Sri Lanka, Nawala Nugegoda, Sri Lanka, <sup>2</sup>National Institute of Fundamental Studies, Hanthana Road, Kandy, Sri Lanka, <sup>3</sup>Department of Physical Sciences, Faculty of Applied Sciences, South Eastern University of Sri Lanka, Samanthurei, Sri Lanka, <sup>4</sup>Department of Chemistry, The Open University of Sri Lanka, Nawala, Nugegoda, Sri Lanka

\* Corresponding Author: gksen@ou.ac.lk

### ABSTRACT

Use of surface plasmon resonance effect by the Ag nanoparticles (AgNPs) towards the photo physical properties of CdS quantum dot sensitized TiO<sub>2</sub> based solar cells (QDSSCs) was investigated under the illumination of 100 mW cm<sup>-2</sup> (AM 1.5). Deposition of CdS on TiO<sub>2</sub> electrodes were done by successive ionic layer adsorption and reaction (SILAR) method with ten cycles. Current voltage characteristics of QDSSCs fabricated with optimum amount of AgNPs (0.2 % w/v) in TiO<sub>2</sub> showed ~ 26% increment in the power conversion efficiency from 1.09 to 1.37%. Surface morphological studies of photoanodes were carried out with scanning electron microscopy, high-resolution transition electron microscopy and energy dispersive X-ray measurements (EDX). The existence of spherical shape Ag nanoparticles in TiO<sub>2</sub> with an average particle size of 35 nm was confirmed by EDX analysis. The estimated average size of the TiO<sub>2</sub> and CdS particles appears to be around 40 nm and 4.2 nm respectively.

### ACKNOWLEDGEMENT

This research was financially supported by the Research Grant awarded under the project of Development Oriented Research grants (DOR9-2019) under Accelerating Higher Education Expansion and Development (AHEAD) Operation of the Ministry of City planning, water Supply and Higher Education in Sri Lanka funded by the International Bank for Reconstruction and Development (IBRD) and International Development Agency (IDA).