




# THE NATIONAL RED LIST

## 2020

### Conservation Status of the Flora of Sri Lanka

Biodiversity Secretariat of the Ministry of Environment in collaboration with the  
Department of National Botanic Gardens



# A Provisional List of Fungi in Sri Lanka

Nimal Adikaram<sup>1,2</sup> and Deepthi Yakandawala<sup>2</sup>

<sup>1</sup>National Institute of Fundamental Studies, Kandy, Sri Lanka.

<sup>2</sup>Department of Botany, University of Peradeniya, Sri Lanka.

Fungi are one of the largest and most widely distributed, but lesser studied, groups of eukaryotes on earth. Mycologists estimate the total fungal species to be between 2.2-3.8 million on earth (Willis, 2018). Only about 144,000 species of fungi have been identified and described. The Kingdom Fungi is a monophyletic group which implies that all modern fungi can be traced back to a single ancestral organism.

The present phylogenetic classification of fungi recognizes eight phyla within the Kingdom Fungi, Cryptomycota (c.30 spp.), Microsporidia (c.1,250 spp.), Blastocladiomycota (c.220 species), Chytridiomycota (c.980 species), Zoopagomycota (c.900 spp.), Mucoromycota (c.760 spp.), Ascomycota (c.90,000 spp.) and Basidiomycota (c.50,000 spp.) (Willis, 2018). Certain groups that were long believed as ‘fungi’ such as Oomycota and Myxomycota, with spore-bearing structures, are not recognized as fungi that have evolved from a common ancestor (Willis, 2018). Myxomycota is classified within the Kingdom Protista, while Oomycota members that produce motile spores and grow as hyphae with cellulose containing walls are included within the Kingdom Chromista.

Fungi contribute to a significant part of the Sri Lanka’s biodiversity. The native fungal flora in Sri Lanka has been conservatively estimated to be around 25,000 species (Adikaram, 2004). Fungi have been studied in Sri Lanka (formerly Ceylon) since 18<sup>th</sup> century, most exclusively by British Botanist-Mycologists, dating the history of Mycology in Ceylon back to 1783.

The earliest record of fungi in Ceylon by British is probably by Houttuyn (1788) under the names *Peziza ceyloneche* and *Peziza limbosa*. Berkeley and Broome (1870, 1871, 1873) described 403 species of agarics. From 1905-1925, T. Petch collected fungi extensively and published in the *Annals of the Royal Botanic Gardens, Peradeniya*. The outcome of these studies was summarized in an annotated list, as the “Fungi of Ceylon” (Petch and Bisby, 1950) which amount to about 640 genera and 2,182 species.

## Recent progress

Since the days of Petch, larger collections of fleshy fungi have not been undertaken in the country. Recent identification of 50 macro-fungi, belonging to Ascomycota and Basidiomycota, was one of the few studies conducted using a medium scale collection (Ediriweera et al. 2014). The approximate number of fungi known to date would be just over 2,500, including the 2,182 species recorded by British prior to 1950. Yet over 85% of the estimated 25,000 species remain unknown.

The information gathered on Sri Lankan fungal flora after 1950 remains scattered. Several handbooks illustrating the morphology of numerous genera of fungi authored by Coomaraswamy (1979; 1981a), Coomaraswamy & De Fonseka (1981b), Coomaraswamy & Kumarasingham (1988) were published by in 1970s by the UNESCO MAB National Committee. These were useful as guides to identification of fungi or disease diagnosis. Agaric Flora of Sri Lanka by David N. Pegler provides illustrated descriptions of over 330 agarics collected in Ceylon and identified during the latter half of 19<sup>th</sup> century. The first Checklist of Plant Pathogenic fungi and Oomycota in Sri Lanka (Adikaram and Yakandawala, 2020) presents 400 pathogenic species recorded after 1950’s. Introduction of molecular tools provided new insights to the identification and description of fungi, adding new taxa most frequently to the Sri Lankan fungal flora.

## National resources

A part of the Agarics collection made during Petch’s time was sent to Kew Herbarium where they remain deposited. The remainder of the collection was retained at the Central Agricultural Research Institute (IARI), Gannoruwa (presently the Horticultural Research and Development Institute, HORDI). A collection of 412 water-color paintings made by W. de Alwis are in the herbarium of HORDI. Sri Lanka is still to establish a national culture collection or Herbarium for fungi.

## Fungal checklists

Two checklists of fungi in Sri Lanka are included in the present manuscript. One of them provides 1,139 species of fungi associated with plants in Sri Lanka belonging to 422 genera and 183 families. Mycosphaerellaceae is the most species-rich family containing 107 species. Genus *Uredo* contains most number of species with 56 and *Cercospora* comes next with 45 species. The second checklist brings in 345 species of Agaric flora belonging to 96 genera known in Sri Lanka.

As an initial step towards conservation and bridging the knowledge gaps on Sri Lankan fungi, the present updating of the National Red inventories included selected fungal groups. The data provided in the list will be useful in the compilation of fungal biodiversity of Sri Lanka. The checklist will, not by any means, be a conclusive list and new records will continue to be added regularly in the future.

# Checklist 1

## FUNGI ASSOCIATED WITH PLANTS IN SRI LANKA

### True fungi (Kingdom - Fungi)

#### Aecidiaceae

- Aecidium emiliae* Petch  
*Aecidium acanthacearum* Cooke  
*Aecidium argyreiae* Berk. & Broome  
*Aecidium breyniae* Syd. & P.Syd.  
*Aecidium cassia* Bres.  
*Aecidium elaeagni-latifoliae* Petch  
*Aecidium erythrobasis* Berk. & Broom  
*Aecidium flavidum* Berk. & Broome  
*Aecidium formosanum* Syd. & P.Syd.  
*Aecidium kaernbachii* Henn.  
*Aecidium luclelentum* Syd. & P.Syd.  
*Aecidium micranthum* Syd. & P.Syd.  
*Aecidium nummulare* Berkeley  
*Aecidium parsoniae* Petch  
*Aecidium petchii* Sacc. & Trotter  
*Aecidium polyaltheiae* Petch  
*Aecidium rhytismae* Racib.  
*Aecidium serpulae* Petch  
*Aecidium vernoniae-cinereae* Petch  
*Aecidium vernoniae-hookerianae* Petch  
*Aecidium vignae* Cooke

#### Agaricaceae

- Cyathus tripes* Lloyd  
*Lepiota oenopoda* Berk. & Broome

#### Amphisphaeriaceae

- Ephelis tripsaci* (D.Mulder & Arx) Hern.-Restr. & Crous  
*Gerlachia oryzae* (Hashioka & Yokoqi) W.Gams  
*Pestalotia disseminata* Thüm.  
*Pestalotia lupini* Sorauer  
*Pestalotia mangiferae* Henn.  
*Pestalotia parmarum* (Cooke) Steyaert  
*Pestalotia suffocata* Ellis & Everh.  
*Pestalotia theae* Sawada  
*Pestalotia viticola* Cavara  
*Pestalotiopsis psidii* (Pat.) Mordue  
*Pestalotiopsis versicolor* (Speg.) Steyaert

#### Anthracideaceae

- Cintractia axicola* (Berk.) Cornu  
*Cintractia leucoderma* (Berk.) Henn  
*Cintractia peribebuyensis* (Speg.) Sawada  
*Farysia emodensis* (Berk.) Syd. & P.Syd.  
*Farysia olivacea* (DC.) Syd. & P.Syd.

#### Aiosporaceae

- Nigrospora oryzae* (Berk. & Broome) Petch

#### Aplosporellaceae

- Aplosporella crypta* Petch (Syn. *Haplosporella crypta* Petch)  
*Aposphaeria heveae* Petch

#### Ascodichaenaceae

- Henriquesia ochlandrae* Petch

#### Ascomycota (Family, Incertae sedis)

- Aglaospora aculeata* Cooke  
*Cordana musae* (Zimm.) Höhn  
*Denticulria mangiferae* (Adikaram, 2020 Unpublished)  
*Endocalyx thwaitesii* Berk. & Broome  
*Exosporium arecae* (Berk. & Broome) Petch

#### Aspergillaceae

- Aspergillus aculeatus* Iizuka  
*Aspergillus flavus* Link.  
*Aspergillus niger* van Tieghem  
*Aspergillus tamarii* Kita  
*Penicillium citrinum* Sopp  
*Penicillium digitatum* Sacc.  
*Penicillium funiculosum* Thom.  
*Penicillium incarnatum* Berk. & Broome  
*Penicillium italicum* Wehmer.  
*Penicillium purpurrogenum* Stoll

#### Asterinaceae

- Asterina crustosa* Berk. & Cooke  
*Asterina echinospora* Höhn  
*Asterina sphaerotheca* P.Karst. & Roum.  
*Asterostomella aberiae* Petch  
*Lembosia pavettae* Theiss  
*Triposporium gardneri* (Berk.) Speg.

#### Barbatosphaeriaceae

- Ceratostomella paradoxa* (de Seynes)

#### Bionectriaceae

- Didymostilbe coffeae* Henn.  
*Mycocitrus hypocrelicola* (Henn.) Samuels

#### Botryosphaeriaceae

- Botryodiplodia theobromae* (Pat.) Griffon & Maubl.  
*Botryodiplodia diospyri* Henn.  
*Botryodiplodia sorghii* Henn.  
*Botryosphaeria erythrinae* Petch  
*Botryosphaeria inflate* Cooke & Massee  
*Botryosphaeria microspore* Petch  
*Botryosphaeria theicola* Petch  
*Botryosphaeria vanilla* (Stoneman)  
*Botryosphaeria agaves* (Henn.) E.J.Butler  
*Dothiorella anoneae* Petch  
*Desmotascus cinnamomi* Petch  
*Desmotascus cocoae* Petch  
*Desmotascus neglectus* Petch  
*Fusicoccum microspermum* Har. & P.Karst.  
*Guignardia camelliae* (Cooke) E.J.Butler  
*Guignardia heveae* Syd. & P.Syd.  
*Guignardia musae* Racib.  
*Guignardia opuntiae* Petch  
*Lasiodiplodia crassispora* T.Burgess & Barber  
*Lasiodiplodia theobromae* (Pat.) Griffon & Maubl.

- Macrophoma mantegazziana* (Penz.) Berl. & Voglino  
*Macrophoma musae* (Sacc.) Berl. & Voglino  
*Macrophoma theae* Speschnew  
*Macrophoma theicola* Petch  
*Macrophomina phaseolina* (Tassi) Goid.  
*Macrosporium carotae* (Ellis. & Langl.) J.A.Stev. & Wellman  
*Macrosporium macalpineanum* Sacc. & P. Syd.  
*Neofusicoccum brasiliense* M.W.Marques, A.J.L.Phillips & Camara (Dissanayake, Yakandawala and Adikaram, Unpublished work)  
*Nattrassia mangiferae* (Syd. & P.Syd.) B.Sutton & Dyko  
*Phyllosticta antirrhinae* Syd.  
*Phyllosticta antirrhini* P.Syd.  
*Phyllosticta crotalariae* Sacc. & Trotter  
*Phyllosticta disciformis* Penz.  
*Phyllosticta erythrinae* Petch  
*Phyllosticta grevilleae* Gadd.  
*Phyllosticta heveae* Henn.  
*Phyllosticta linocierae* Thüm.  
*Phyllosticta mayilae* Petch  
*Phyllosticta musarum* (Cooke) Vander  
*Phyllosticta physaleos* Sacc.  
*Phyllosticta piperis* Henn.  
*Phyllosticta ramicola* Petch  
*Phyllosticta resedae* Petch  
*Phyllostictarottlerae* (Berk. & Broome) Petch  
*Phyllosticta sapotae* Sacc.  
*Phyllosticta theae* Speschnew  
*Phyllosticta theobromae* J.V.Almeida & Sousa da Câmara  
*Phyllosticta uesteri* Speg.  
*Phyllosticta violae* Desm.
- Brachybasidiaceae**  
*Kordyana commelinae* Petch
- Calosphaeriaceae**  
*Calosphaeria sulcata* Petch
- Ceratobasidiaceae**  
*Rhizoctonia bataticola* Taubenh  
*Rhizoctonia solani* J.G.Kühn  
*Thanatephorus cucumeris* (A.B.Frank) Donk
- Ceratocystidaceae**  
*Ceratocystis paradoxa* (De Seynes) Sacc.  
*Chalara paradoxa* (De Seynes) Sacc.  
*Chlamydomyces palmarum* (Cooke) E.W. Mason  
*Thielaviopsis paradoxa* (De Seynes) Höhn.
- Ceratostomataceae**  
*Melanospora zamiae* Corda
- Chaconiaceae**  
*Goplana dioscoreae* Cummins
- Chaetomiaceae**  
*Chaetomium globosum* Kunze  
*Trichocladium olivaceum* Petch
- Chaetothyriaceae**  
*Zukalia rubi* Petch
- Chionosphaeraceae**  
*Stilbum candidulum* Peck  
*Stilbum durionis* Petch  
*Stilbum nanum* Massee  
*Stilbum villosum*
- Choanephoraceae**  
*Choanephora cucurbitarum* (Berk. & Rav.) Thaxter  
*Choanephora simsonii* D.D.Cunn.
- Cladosporiaceae**  
*Cladosporium apicale* Berk. & Broome  
*Cladosporium cladosporioides* (Fres.) de Vries  
*Cladosporium compactiusculum* Sacc. & P.Syd.  
*Cladosporium congestum* Berk. & Broome  
*Cladosporium fulvum* Cooke  
*Cladosporium herbarum* (Pers.) Link  
*Cladosporium miyakei* Sacc. & Trotter  
*Cladosporium versicolor* T.E.T.Bond
- Clavicipitaceae**  
*Balansia bambusae* B. & Br.  
*Balansia brevis* (Berk. & Broome) Höhn.  
*Epichloe cinera* Berk. & Broome  
*Stereocrea schizostachyi* Syd. & P.Syd.
- Coleosporiaceae**  
*Chrysomyxa bombacis* Petch  
*Ciliospora gelatinosa* Zimm  
*Coleosporium balsaminae* Syd.  
*Coleosporium erythrinae* Petch  
*Coleosporium plumeriae* Pat.
- Corticiciaceae**  
*Corticium emplastrum* Berk. & Broome  
*Corticium hypophyllum* Petch  
*Corticium invisum* Petch  
*Corticium pervagum* Petch  
*Corticium salmonicolor* Berk. & Broome  
*Corticium solani* (Prill. & Delacr.) Bourdot & Galzin  
*Cytidia hakgallae* (Berk. & Broome) G.W.Martin  
*Laetisaria fuciformis* (Berk.) Burds.
- Corynesporascaceae**  
*Corynespora cassiicola* (Burk. & Curtis) Wei
- Cronartiaceae**  
*Cronartium prennae* Petch.  
*Endothia tropicalis* Roane
- Cucurbitariaceae**  
*Pyrenophaeta nipponica* De Not.
- Cyphellaceae**  
*Cyphella epileuca* Berk. & Broom  
*Dendrocyphella setosa* Petch

- Davidiellaceae**  
*Heterosporium tropaeoli* T.E.T.Bond  
*Heterosporium wikstroemiae* Petch
- Dermateaceae**  
*Gloeosporium affine* Sacc.  
*Gloeosporium alborubrum* Petch  
*Gloeosporium cocophilum* Wakef.  
*Gloeosporium coffeatum* Delacr.  
*Gloeosporium cryptum* Petch  
*Gloeosporium heveae* Petch  
*Gloeosporium holstii* Henn.  
*Gloeosporium impariensis* Petch  
*Gloeosporium litseae* Petch  
*Gloeosporium mangae* F. Noack  
*Gloeosporium mangiferae* Henn.  
*Gloeosporium musarum* Cooke & Massee  
*Gloeosporium opuntiae* Ellis & Everh. (Petch and Bisby, 1950)  
*Gloeosporium papayae* Henn.  
*Gloeosporium phomoides* Sacc.  
*Gloeosporium piperatum* Ellis & Everh.  
*Gloeosporium psidii* Delacr.  
*Gloeosporium vanillae* Cooke  
*Niptera epiphytica* Petch  
*Phlyctaena heveae* Petch
- Diaporthaceae**  
*Diaporthe citri* F.A.Wolf  
*Diaporthe heveae* Petch  
*Leptothyrium theae* Petch  
*Phomopsis caricae papayae* Petr. & Cif.  
*Phomopsis cocoae* Petch  
*Phomopsis lobeliae* (Berk. & Broome) Petch  
*Phomopsis phaseoli* Petch  
*Phomopsis psidii* Nag Raj & Ponnappa  
*Phomopsis theae* Petch  
*Phomopsis vexans* (Sacc. & P.Syd.) Harter  
*Phomopsis viticola* (Sacc.) Sacc.
- Diatrypaceae**  
*Diatrype chlorosarca* Berk. & Broome  
*Diatrype conferta* Petch  
*Eutypa conjuncta* Petch  
*Eutypa phaselina* (Mont.) Sacc.  
*Peroneutypa variabilis* Petch
- Didymellaceae**  
*Ascochyta abelmosehi* Harter  
*Ascochyta cyphomandrae* Petch  
*Ascochyta eypomandrae* Petch  
*Ascochyta heveae* Petch  
*Ascochyta lobelia* Petch  
*Ascochyta oleracea* Ellis  
*Ascochyta passiflorae* Penz. & Sacc.  
*Ascochyta pisi* Lib.  
*Ascochyta rosicola* Sacc.  
*Ascochyta theae* (Hara) Petch and Bisby
- Coniothecium chomatosporum** Corda  
*Coniosporium tetrantherae* (Thüm.) Sacc.  
*Epicoccum theobromae* Petch  
*Phoma aterrima* Petch  
*Phoma barringtoniae* Cooke & Massee  
*Phoma camelliae* Pass  
*Phoma cocoicola* Petch  
*Phoma durionis* Petch  
*Phoma glumarum* Ellis & Tracy  
*Phoma heveae* Petch  
*Phoma insidiosa* Tassi  
*Phoma justiciae* Petch  
*Phoma macdonaldii* Boerema  
*Phoma murrayae* Petch  
*Phoma orchidearum* Ces.
- Didymiaceae**  
*Diderma chondrioderma* (de Bary & Rostaf.) G.Lister  
*Diderma rugosum* (Rex) T.Macbr.  
*Didymobotryum rigidum* (Berk. & Broome) Sacc.
- Didymosphaeriaceae**  
*Didymosphaeria theae* Petch  
*Spegazzinia tessarthra* (Berk. & M.A.Curtis) Sacc.
- Dipodascaceae**  
*Geotrichum candidum* Link.
- Dothideomycetes (Family, Incertae sedis)**  
*Septonema exaltatum* Petch  
*Septonema olivaceonigrum* Berk. & Broome
- Dothioraceae**  
*Dothiora symploci* Petch (Petch, 1926)  
*Metaphaeaeria cocoae* Speg. (Petch and Bisby, 1950)  
*Metaphaeaeria nesodes* (Berk. & Broome) Petr.(Petch, 1917)  
*Metaphaeaeria plegmariae* (Ces. & Becc.) Sacc. (Petch and Bisby, 1950)
- Drepanopezizaceae**  
*Diplocarpon rosea* Wolf.
- Elsinoaceae**  
*Elsinoe canavaliae* Racib.  
*Elsinoe fawcetti* Bitanc. & Jenkins  
*Elsinoe theae* Bitanc. & Jenkins  
*Sphaceloma fawcetti* Jenkins  
*Zukaliopsis heveae* Petch
- Englerulaceae**  
*Capnodiastrum congestum* Cooke & Massee
- Entylomataceae**  
*Entyloma dahlia* Syd. & P.Syd.  
*Entyloma fuscum* J.Schröt.
- Eremotheciaceae**  
*Nematospora coryli* Peglion

<b>Erysiphaceae</b>	
<i>Erysiphe cichoracearum</i> DC.	<i>Colletotrichum incarnatum</i> Zimm.
<i>Erysiphe polygoni</i> DC.	<i>Colletotrichum laticiphilum</i> Damm, P.F.Cannon & Crous
<i>Erysiphe quercicola</i> S.Takam	<i>Colletotrichum lindemuthianum</i> (Sacc. & Magnus) Briosi & Cavara
<i>Erysiphe</i> sp. (Ratnayake et al., 2016b)	<i>Colletotrichum musae</i> (Berk. & M.A.Curtis) Arx
<i>Oidioopsis taurica</i> (Lév.) E.S.Salmon	<i>Colletotrichum nigrum</i> Ellis & Halst.
<i>Oidium heveae</i> B.A.Steinm.	<i>Colletotrichum nymphaea</i> (Pass.) Aa
<i>Oidium mangiferae</i> Berthet Bolm.	<i>Colletotrichum orchidearum</i> Allesch.
<i>Oidium nephelii</i> Hadiw.	<i>Colletotrichum paucisetum</i> Petch
<i>Oidium quercinum</i> Thüm.	<i>Colletotrichum phomoides</i> (Sacc.) Chester
<i>Oidium tabaci</i> Thüm.	<i>Colletotrichum piperis</i> Petch
<i>Oidium tingitaninum</i> J.C.Carter	<i>Colletotrichum ricini</i> Petch
<i>Oidium tuckeri</i> Berk.	<i>Colletotrichum seminocola</i> (Berk. & Broome) Petch
<i>Oospora aurantii</i> Petch	<i>Colletotrichum siamense</i> Prihast. L.Cai & K.D.Hyde
<i>Oospora grisea</i> Petch	<i>Colletotrichum simmondsii</i> R.G.Shivas & Y.P.Tan
<i>Oospora lactis</i> (Fresen.) Sacc.	<i>Colletotrichum tropicale</i> Rojas, Rehner & Samuels
<i>Ovulariopsis moricola</i> Delacr.	<i>Colletotrichum truncatum</i> (Schwein.) Andrus & W.D.Moore
<i>Sphaerotheca pannosa</i> (Wallr.) Lév.	<i>Colletotrichum urenae</i> Petch
<b>Exidiaceae</b>	<i>Colletotrichum zingiberis</i> (Sundar.) E.J.Butler & Bisby.
<i>Sebacina rufochracea</i> Höhn.	<i>Glomerella cingulata</i> (Stoneman) Spauld. & H.Schrenk.
<b>Exobasidiaceae</b>	<i>Glomerella gossypii</i> Edgerton.
<i>Exobasidium cinnamomi</i> Petch	<i>Glomerella musarum</i> Petch
<i>Exobasidium indicum</i> Syd. P.Syd. & E.J.Butler	<i>Glomerella piperata</i> (Stoneman) Spauld. & H.Schrenk
<i>Exobasidium vaccinii</i> (Fuckel) Woronin	<i>Glomerella vanillae</i> (Stoneman) Sacc. & Traverso
<i>Exobasidium vexans</i> Massee	
<i>Exobasidium zeylanicum</i> Petch	
<b>Geoglossaceae</b>	
<i>Phaeoglossum zeylanicum</i> Petch	
<b>Ganodermataceae</b>	
<i>Ganoderma applanatum</i> (Pers.) Pat.	
<i>Ganoderma boninense</i> Pat.	
<i>Ganoderma lucidum</i> (Curtis) P.Karst.	
<i>Gliocladium roseum</i> Bainier	
<b>Glomerellaceae</b>	
<i>Colletotrichum acutatum</i> J.H.Simmonds	
<i>Colletotrichum asianum</i> Prihastuti, L.Cai & K.D.Hyde	
<i>Colletotrichum brachytrichum</i> Delacr.	
<i>Colletotrichum camelliae</i> Massee	
<i>Colletotrichum capsici</i> (Syd. & P.Syd.) E.J. Butler & Bisby	
<i>Colletotrichum coccodes</i> (Wallr.) Hughes	
<i>Colletotrichum crotalariae</i> Petch	
<i>Colletotrichum dracaenae</i> Petch	
<i>Colletotrichum endophytica</i> Manamgoda, Udayanga, Cai & Hyde	
<i>Colletotrichum erythrinae</i> Koord.	
<i>Colletotrichum ficus</i> Koord.	
<i>Colletotrichum fructicola</i> Prihastuti, Cai & Hyde	
<i>Colletotrichum funtumiae</i> Petch.	
<i>Colletotrichum gigasporum</i> Rakotonir. & Munaut	
<i>Colletotrichum gloeosporioides</i> (Penz.) Penz. & Sacc.	
<i>Colletotrichum graminicola</i> (Ces.) G.W.Wilson	
<i>Colletotrichum heveae</i> Petch	
<i>Colletotrichum higginsianum</i> Sacc.	
<b>Glomosporiaceae</b>	
<i>Sorosporium andropogonis-aciculati</i> (Petch) Petch	
<i>Sorosporium paspali</i> McAlpine	
<b>Gomphaceae</b>	
<i>Pistillaria actiniceps</i> (Petch) Corner	
<b>Graphiolaceae</b>	
<i>Graphiola phoenicis</i> (Moug. ex Fr.) Poit	
<b>Helicobasidiaceae</b>	
<i>Helicobasidium compactum</i> (Boedijn) Boedijn	
<i>Tubercularia cansjerae</i> Petch	
<i>Tubercularia hibisci</i> Petch	
<i>Tubercularia leguminicola</i> Petch	
<i>Tubercularia nigromaculans</i> Petch	
<i>Tuberculina persicina</i> Ditmar	
<b>Helminthosphaeriaceae</b>	
<i>Ceratosporium productum</i> Petch	
<b>Helotiaceae</b>	
<i>Gorgoniceps marginata</i> Petch	
<b>Hyaloscyphaceae</b>	
<i>Helotiopsis apicalis</i> (Berk. & Broome) Höhn	
<b>Hydnaceae</b>	
<i>Hydnnum vagans</i> Petch	
<b>Hygrophoraceae</b>	
<i>Arrhenia minuta</i> Petch	

<b>Hymenochaetaceae</b>	<b>Massariaceae</b>
<i>Hymenochaete pellicula</i> Berk. & Broome	<i>Massaria theicola</i> Petch
<i>Phellinus lamaensis</i> (Murrill) Pat.	
<i>Phellinus noxius</i> (Corner) G.H.Cunn.	
<b>Hypocreaceae</b>	<b>Massarinaceae</b>
<i>Clintoniella fusigera</i> (Berk. & Broome) Petch	<i>Helminthosporium albizziae</i> Petch
<i>Hypocrea bambusae</i> Berk. & Broome	<i>Helminthosporium extensum</i> Petch
<i>Hypocrea pezizoides</i> Berk. & Broome	<i>Helminthosporium garciniae</i> Petch
<b>Hypocreales (Family, Incertae sedis)</b>	<i>Helminthosporium heveae</i> Petch
<i>Trichothecium luteum</i> Petch	<i>Helminthosporium incurvatum</i> C.Bernard
<i>Ustilaginoidea virens</i> (Cooke) Takah.	<i>Helminthosporium nodulosum</i> Berk. & M.A.Curtis ex Sacc.
<b>Hypocreaceae</b>	<i>Helminthosporium oryzae</i> Breda de Haan
<i>Hyponectria embeliae</i> Petch	<i>Helminthosporium ravenelii</i> M.A.Curtis
<i>Hyponectria eugeniae</i> Petch	<i>Helminthosporium sacchari</i> E.J.Butler
<i>Hyponectria memecyli</i> Petch	<i>Helminthosporium solani</i> McAlpine
<i>Micronectria eugeniae</i> Petch	<i>Helminthosporium turicum</i> Pass.
<i>Physalospora adianthi</i> Höhn.	<i>Massarina biconica</i> Petch
<b>Hypoxylaceae</b>	<i>Stagonospora theicola</i> Petch
<i>Hypoxyylon carneum</i> Petch	<b>Melampsoraceae</b>
<i>Hypoxyylon olivaceum</i> Petch	<i>Melampsora acalyphae</i> Petch
<i>Hypoxyylon vestitum</i> Petch	<i>Melampsora epitea</i> Thüm
<b>Hysteriaceae</b>	<i>Melampsora helioscopiae</i> (Pers.) Castagne
<i>Gloniella drynariae</i> (B. & Br.) Masaee	<i>Melampsora ricini</i> Pass.
<b>Lachnocladiaceae</b>	<b>Melanconidaceae</b>
<i>Lachnocladium aurantiacum</i> (Berk. & Broome) Petch	<i>Melanconium circumscissum</i> (Berk. & Broome) Grove
<b>Lasiosphaeriaceae</b>	<i>Melanconium confusum</i> (Berk. & Broome) Petch
<i>Lasiosphaeria tephrocoma</i> (Berk. & Broome) Sacc.	<i>Melanconium dendrocalami</i> Petch
<b>Leotiomycetes (Family, Incertae sedis)</b>	<i>Melanconium fruticola</i> Petch
<i>Pycnidiella resinae</i> (Ehrenb.) Höhn.	<i>Melanconium palmarum</i> Cooke
<b>Leptosphaeriaceae</b>	<i>Melogramma lobeliae</i> Petch
<i>Coniothyrium theae</i> Petch.	<b>Melanopsaceae</b>
<i>Leptosphaeria depressa</i> Wehm. & S.Ahmad	<i>Melanops inflata</i> (Cooke & Massee) Weese
<i>Leptosphaeria molleriana</i> Niessl	
<i>Leptosphaeria musarum</i> Sacc. & Berl.	<b>Meliolaceae</b>
<i>Leptosphaeria sacchari</i> Speg	<i>Actinodothis piperis</i> Syd. & P.Syd.
<i>Leptosphaeria smilacis</i> (Castagne) Sacc.	<i>Meliola amphitricha</i> Mont.
<i>Leptosphaeria tornatospora</i> Petch	<i>Meliola calostroma</i> (Desm.) Höhn.
<b>Magnaportheaceae</b>	<i>Meliola furcate</i> Lév.
<i>Magnaporthe grisea</i> (T.T.Hebert) M.E.Barr	<i>Meliola ganglifera</i> Kalchbr.
<i>Magnaporthe oryzae</i> B.C.Couch.	<i>Meliola hyalospora</i> Lév.
<i>Magnaporthe salvinii</i> (Catt.) R.A.Krause & R.K.Webster	<i>Meliola moerenhoutiana</i> Mont.
<b>Marasmiaceae</b>	<i>Meliola mollis</i> Berk. & Broome
<i>Marasmius crinis-equi</i> F.Muell. ex Kalchbr.	<i>Meliola pleurostyliiae</i> (Berk. & Broome) Höhn.
<i>Marasmius equicrinis</i> F.Muell. ex Berk.	<i>Meliola tetradeniae</i> (Berk.) Theiss. & Syd.
<i>Marasmius leveillianus</i> (Berk.) Sacc. & Trotter	
<i>Marasmius pulcher</i> (Berk. & Broome) Petch	<b>Meripilaceae</b>
<i>Marasmius stenophyllus</i> (Mont.) Singer	<i>Rigidoporus lignosus</i> (Klotzsch) Imazeki
	<i>Rigidoporus microporus</i> (Sw.) Overeem
	<b>Meruliaceae</b>
	<i>Ceriporiopsis hypolateritius</i> (Berk. ex Cooke) Ryvarden
	<i>Merulius eurocephalus</i> (Berk. & Broome) Petch
	<i>Merulius gelatinosus</i> Lloyd
	<b>Microbotryaceae</b>
	<i>Sphacelotheeca hydropiperis</i> (Schumach.) deBary
	<i>Sphacelotheeca monilifera</i> (Ellis & Everh.) G.P.Clinton

<i>Sphacelotheca nardi</i> (Syd. & P.Syd.) Zundel	<i>Cercospora rodmanii</i> Conway
<i>Sphacelotheca sorghi</i> (Link) Clinton	<i>Cercospora rosicola</i> Pass.
<i>Sphacelotheca spermoidea</i> (Berk. & Broome) Mundk.	<i>Cercospora sesame</i> Zimm.
<b>Micropeltidaceae</b>	<i>Cercospora solani</i> Thüm
<i>Micropeltella confluens</i> Petch	<i>Cercospora subsessilis</i> Syd. & P.Syd.
<b>Microthyriaceae</b>	<i>Cercospora ternatae</i> Petch
<i>Calothyrium reticulatum</i> Petch	<i>Cercospora theae</i> Breda de Haan
<i>Monorhizina filicina</i> (Berk. & Broome) Theiss. & Syd.	<i>Cercospora tiglii</i> Henn.
<b>Mikronegeriaceae</b>	<i>Cercospora viticola</i> Sacc.
<i>Blastospora hedyotidis</i> Petch	<i>Cercospora woodfordiae</i> Petch
<b>Mucoraceae</b>	<i>Cercospora zinnia</i> Ellis & G.Martin
<i>Rhizopus artocarpi</i> (Berk. & Broome) Boedijn	<i>Cercospora ziziphi</i> Petch
<i>Rhizopus oryzae</i> Went & Prins.	<i>Cercosporella brassicae</i> (Fautrey & Roum.) Höhn
<i>Rhizopus stolonifer</i> (Ehrheb.) Vuill.	<i>Cercosporella crataevae</i> (Berk. & Broome)
<b>Mycenaceae</b>	<i>Cercosporella theae</i> Petch
<i>Mycena aculeifera</i> Petch	<i>Isariopsis griseola</i> Sacc.
<i>Mycena farinosa</i> Petch	<i>Microcyclus walsurae</i> Syd. & P.Syd.
<i>Mycena illuminans</i> Henn.	<i>Mycosphaerella camelliae</i> Petch
<i>Mycena longiseta</i> Höhn.	<i>Mycosphaerella citrullina</i> (Chester) Grossenb.
<i>Mycena paediscula</i> Berk. & Broome	<i>Mycosphaerella fijiensis</i> Morelett
<b>Mycosphaerellaceae</b>	<i>Mycosphaerella eumusae</i> Crous & Mour.
<i>Arthrobotryum glochidii</i> Petch	<i>Mycosphaerella henningsii</i> Sivan.
<i>Asperisporium caricae</i> (Speg.) Maubl.	<i>Oligostroma strychni</i> Petch
<i>Cercospora averrhoae</i> Petch	<i>Ovularia aurantii</i> McAlpine
<i>Cercospora beticola</i> Sacc.	<i>Ovularia bixae</i> Racib.
<i>Cercospora blumeae</i> Thüm.	<i>Ovularia veronicae</i> Dufrenoy
<i>Cercospora brassicicola</i> P.Henn.	<i>Phaeophleospora elaeocarpi</i> Rangel
<i>Cercospora bruceae</i> Petch	<i>Ramularia areola</i> G.F.Atk.
<i>Cercospora calpurniae</i> Petch	<i>Septoria apii</i> Chester
<i>Cercospora capsici</i> É.J.Marchal & Steyaert	<i>Septoria arisaemae</i> Petch
<i>Cercospora cardiospermi</i> Petch	<i>Septoria cocoae</i> Petch
<i>Cercospora carotae</i> (Pass.) Solheim	<i>Septoria dianthi</i> (Alb. & Schwein.) Desm.
<i>Cercospora cearae</i> Petch.	<i>Septoria drummondii</i> Ellis & Everh.
<i>Cercospora cordobensis</i> Speg.	<i>Septoria graminum</i> Desm.
<i>Cercospora cruenta</i> Sacc.	<i>Septoria lactucae</i> Pass.
<i>Cercospora dilleniae</i> Petch	<i>Septoria lactucae</i> Peck
<i>Cercospora dioscoreae</i> Ellis & G.Martin	<i>Septoria lycopersici</i> Sacc.
<i>Cercospora gossypina</i> Cooke	<i>Septoria nesodes</i> Kalchbr.
<i>Cercospora henningsii</i> Allesc	<i>Septoria obesa</i> Syd. & P.Syd.
<i>Cercospora hibisci</i> Tracy & Earle	<i>Septoria violae</i> Westd.
<i>Cercospora hiptages</i>	<i>Sphaerella citricola</i> McAlpine
<i>Cercospora iteodaphnes</i> (Thüm.) Sacc.	<i>Sphaerella cleidii</i> Sacc.
<i>Cercospora janseana</i> (Racib.) Constant.	<i>Sphaerella crotalariae</i> Petch
<i>Cercospora medicaginis</i> Ellis & Everh.	<i>Sphaerella depazeiformis</i> (Auersw.) Ces. & De Not.
<i>Cercospora melongenae</i> Welles	<i>Sphaerella fragariae</i> (Tul. & C.Tul.) Sacc.
<i>Cercospora musae</i> Massee	<i>Sphaerella gastonis</i> Sacc.
<i>Cercospora nicotianae</i> Ellis & Everh.	<i>Sphaerella heveae</i> Petch
<i>Cercospora oryzae</i> I.Miyake	<i>Sphaerella lobeliae</i> Pass.
<i>Cercospora personata</i> (Berk. & M.A.Curtis) Ellis	<i>Sphaerella rosigena</i> Ellis & Everh.
<i>Cercospora piaropi</i> Tharp	<i>Sphaerella senecionis</i> Petch
<i>Cercospora pseudarthriae</i> Petch	<i>Sphaerella spinicola</i> Pass.
<i>Cercospora ricinella</i> Sacc. & Berl.	<i>Sphaerella vernoniae</i> Petch
	<i>Sphaerulina mappiae</i> (Petch) Bond
	<b>Myelospermataceae</b>
	<i>Myelosperma tumidum</i> Syd. & P.Syd.

- Nectriaceae**
- Actinostilbe vanilla* Petch  
*Calonectria theae* Loos  
*Cylindrocladium pithecolobii* Petch  
*Cylindrocladium quinqueseptatum* Boedijn & Reitsma  
*Fusarium acuminatum* Wollenw.  
*Fusarium avenaceum* (Fr.) Sacc.  
*Fusarium culmorum* (W.G.Sm.) Sacc.  
*Fusarium decemcellulare* Brick  
*Fusarium epithelie* McAlpine  
*Fusarium graminearum* Schwabe  
*Fusarium heterosporum* Nees & T.Nees  
*Fusarium mangiferae* Britz, M.J.Wingf. & Marasas  
*Fusarium moniliforme* Sheldon  
*Fusarium orchidis* Petch  
*Fusarium oxysporum* pv. dianthi  
*Fusarium oxysporum* f. sp. Cepae  
*Fusarium oxysporum* f. sp. Cubenase (Foc).  
*Fusarium oxysporum* f. sp. Lycopersici race 1  
*Fusarium oxysporum* f. sp. Nicotianae  
*Fusarium oxysporum* f. sp. Niveum  
*Fusarium oxysporum* f. sp. radicis-lycopersici  
*Fusarium pallidoroseum* (Cooke) Sacc.  
*Fusarium proliferatum* (Matsush.) Nirenberg  
*Fusarium semitectum* Berk. & Ravenel  
*Fusarium solani* (Mart.) Appel & Wollenw  
*Fusarium verticillioides* (Sacc.) Nirenberg  
*Gibberella fujikuroi* (Sawada) Wollenw.  
*Gliocephalotrichum microchlamydosporum* J.A.Mey  
B.J.Willey & F.G.Simmons  
*Monosporium squamicola* (Berk. & Broome) Petch  
*Nectria albofulta* Petch  
*Nectria bambusae* Berk. & Broome  
*Nectria bomba* Petch  
*Nectria haematococca* Berk. & Broome  
*Nectria lucida* Höhn.  
*Nectria pulcherrima* Berk. & Broome  
*Nectria striatospora* Zimm.  
*Neocosmospora ambrosia* (Gadd & Loos) L.Lombard & Crous  
*Neocosmospora vasinfecta* E.F.Smith  
*Ophionectria anomala* Petch  
*Sphaerostilbe repens* Berk. & M.A.Curtis
- Nitschkiaceae**
- Bertia tessellata* Petch  
*Fracchiaea depressa* Petch  
*Fracchiaea hystricula* (Berk. & Broome) Petch
- Orbiliaceae**
- Monacromyces ovatum* Petch
- Parmulariaceae**
- Cocconia placenta* (Berk. & Broome) Sacc.  
*Dothidasteroma maculosum* (Berk. & Broome) Höhn  
*Monorhiza nervisequia* (Sacc.) Theiss. & Syd.  
*Parmulina exsculpta* (Berk.) Theiss. & Syd.
- Parodiellaceae**
- Parodiella perisporioides* (Berk. & M.A.Curtis) Speg.
- Parodiopsidaceae**
- Balladyna butleri* Syd. & P.Syd.  
*Dimerosporina amomi* (Berk. & Broome) Höhn.
- Patellariaceae**
- Patellaria purpurea* Petch
- Peniophoraceae**
- Peniophora decidua* Petch  
*Peniophora fracta* Petch
- Pezizomycotina (Family, Incertae sedis)**
- Actinonema rosae* (Lib.) Fr.  
*Arthrobotryum infundibuliforme* Petch  
*Ceratophorum albizziae* Petch  
*Ceratophorum setosum* Kirchn.  
*Cytosporella discoidea* Petch  
*Helicostilbe simplex* Petch  
*Hormiactis rosea* Petch  
*Lacellina graminicola* (Berk. & Broome) Petch  
*Leptostromella swertiae* Petch  
*Moniliochaetes infuscans* Halst. ex Harter  
*Peltistromella anomala* Petch  
*Phaeotrichoconis crotalariae* M.A.Salam & P.N.Rao  
*Pleocyta sacchari* (Massee) Petrak & Sydow  
*Podosporium sparsum* (Berk. & Broome) Petch  
*Septogloeum dumasiae* Petch  
*Septogloeum limoniae* Petch  
*Septogloeum mappiae* Petch  
*Sirothecium globosum* Petch  
*Sphaeronaema album* Petch  
*Sphaeronaema nigrum* Petch  
*Sporodesmium striatum* Petch  
*Zygosporium oscheoides* Mont.  
*Zythia bicolor* (Berk. & Broome) Cooke & Massee
- Phaeochoraceae**
- Phaeochora calamigena* (Berk. & Broome) Theiss. & Syd.
- Phaeosphaeriaceae**
- Ampelomyces quisqualis* Ces.  
*Hendersonia confluens* Petch  
*Hendersonia heveae* Petch  
*Hendersonia macrospora* Petch  
*Hendersonia obesa* Petch  
*Hendersonia rosicola* Petch  
*Hendersonia sacchari* E.J.Butler  
*Hendersonia symploci* Berk. & Broome  
*Ophiobolus oryzinus* Sacc.  
*Phaeodothis isachnes* Petch  
*Phaeodothis sparsa* Petch
- Phakopsoraceae**
- Catenulopsora flacourtiiae* Mundk. & Thirum.  
*Cerotelium fici* (Castagne) Arthur

*Crossopsora ziziphi* Syd., P.Syd. & E.J.Butler) Syd. & P.Syd.  
*Phakopsora desmum* Cummins  
*Phakopsora vitis* P.Syd.

#### **Phanerochaetaceae**

*Irpex destruens* Petch  
*Irpex flavus* (Jungh.) Kalchbr.  
*Irpex subvinosus* (Berk. & Broome) Petch

#### **Phomatosporaceae**

*Phaeaspis gomphispora* (Berk. & Broome) Clem. & Shear

#### **Phragmidiaceae**

*Gymnoconia patouillardii* Trotter  
*Kuehneola aliena* Syd., P.Syd. & E.J.Butler  
*Phragmidium mucronatum* (Pers.) Schltl.  
*Phragmidium orientale* Syd. & P.Syd.  
*Phragmidium subcorticium* (Schrank) G.Winter  
*Phragmidium zeylanicum* Petch

#### **Phyllachoraceae**

*Catacauma aspideum* (Berk.) Theiss. & Syd.  
*Catacauma gracillimum* (Speg.) Theiss. & Syd.  
*Catacauma infectorium* (Cooke) Theiss. & Syd.  
*Catacauma microcentrum* (Berk. & Broome) Theiss. & Syd.  
*Catacauma repens* (Corda) Theiss. & Syd.  
*Neobarclaya congesta* (Berk. & Broome) Petch  
*Phyllachora andropogonis* P.Karst. & Har.  
*Phyllachora catervaria* (Berk.) Sacc.  
*Phyllachora cyperi* Rehm  
*Phyllachora dolichogena* (Berk. & Broome) Sacc.  
*Phyllachora glycosmidis* Petch  
*Phyllachora graminis* (Pers.) Fuckel  
*Phyllachora hibisci* Rehm  
*Phyllachora hugoniae* Theiss. & Syd.  
*Phyllachora incarcerate* (Berk.) Sacc.  
*Phyllachora ixorae* Theiss. & Syd.  
*Phyllachora pongamiae* (Berk. & Broome) Petch  
*Phyllachora stenospora* (Berk. & Broome) Sacc.  
*Phyllachora tetranthrae* (Berk. & Broome) Sacc.  
*Phyllachora thwaitesii* (Berk.) Sacc.  
*Phyllachora tragiae* (Berk. & M.A.Curtis) Sacc.  
*Phyllachora vanderystii* Theiss. & Syd.  
*Phyllachora winkleri* Syd. & P.Syd.  
*Placostroma elettariae* (Berk. & Broome) Theiss. & Syd.  
*Rehmiodothis osbeckiae* (Berk. & Broome) Theiss. & H.Sydot

#### **Physalaciaceae**

*Armillaria fuscipes* Petch  
*Armillaria mellea* Vahl

#### **Physodermataceae**

*Physoderma maydis* (Miyabe) Miyabe

#### **Pileolariaceae**

*Ctenoderma toddaliae* (Petch) Syd.  
*Skierka petchii* (Syd.) Mains

#### **Plectosphaerellaceae**

*Verticillium niveum* Petch  
*Verticillium theobromae* (Turc.) E.W.Mason & S.Hughes

#### **Pleosporaceae**

*Alternaria alternata* (Fr.) Keissl.  
*Alternaria brassicae* (Berk.) Sacc.  
*Alternaria brassicicola* (Schwein.) Wiltshire  
*Alternaria carotae* (Ellis & Langl.) J.A.Stev. & Wellman  
*Alternaria herculeana* (Ellis & G.Martin) A.Elliott  
*Alternaria oleracea* Milb.  
*Alternaria padwickii* (Ganguly) M.B.Ellis  
*Alternaria porri* (Ellis) Ciffer  
*Alternaria solani* (Ellis & G.Martin) L.R.Jones  
*Alternaria tinuus* Nees  
*Bipolaris oryzae* (Breda de Haan) Shoemaker  
*Cerebella andropogonis* Ces.  
*Cerebella anthistiriae* Petch  
*Cerebella cynodontis* Syd.  
*Cerebella inquinans* (Berk. & Broome) Petch  
*Cerebella ischaemi* Petch  
*Cerebella sorghii* Tracy & Earle  
*Cochliobolus miyabeanus* (S.Ito & Kurib.) Drechsler ex Dastur  
*Curvularia fallax* Boedijn  
*Curvularia hawaiiensis* (Bugnic. ex M.B.Ellis) Manamgoda, L.Cai & K.D.Hyde  
*Curvularia lunata* (Wakker) Boedijn  
*Curvularia pallescens* Boedijn  
*Curvularia tuberculata* B.L.Jain  
*Drechslera graminea* (Rabenh.) S.Ito  
*Drechslera rostrata* (Drechsler) M.J.Richardson & E.M. Fraser

#### **Pleosporomycetidae (Family, Incertae sedis)**

*Sporocybe compacta* Petch

#### **Pleurostomataceae**

*Pleurostomophora richardsiae* (Nannf.) L.

#### **Polyporaceae**

*Fomes applanatus* (Pers.) Gillet  
*Fomes caryophylli* (Racib.) Bres.  
*Fomes floccosus* (Bres.) Lloyd  
*Fomes lamaoensis* (Murrill) Sacc. & Trotter (Petch and Bisby, 1950)  
*Fomes lignosus* (Klotzsch) Bres.  
*Fomes lucidus* (Curtis) Cooke  
*Fomes noxius* Corner  
*Polyporus mesotalpae* Lloyd  
*Poria hypolateritia* Berk. ex Cooke  
*Poria rubrochorda* Petch  
*Trametes corrugata* (Pers.) Bres.  
*Trametes mollis* (Sommerf.) Fr.  
*Tremella moriformis* Sm. & Sowerby

#### **Polystomellaceae**

*Dothidella calophylli* Petch  
*Marchalia spurcaria* (Berk. & Broome) Sacc.

**Pseudoperisporiaceae**

*Lizonia orbis* (Berk.) Petch

**Pterulaceae**

*Pterula xylogena* (Berk. & Broome) Petch

**Pucciniaceae**

*Cystopsora oleae* E.J.Butler

*Puccinia abutili* Berk. & Broome

*Puccinia anaphalidis* (Miyabe) Sacc. & Trotter

*Puccinia arenariae* (Schumach.) G.Winter

*Puccinia congesta* Berk. & Broome

*Puccinia crepidis-japonicae* (Lindr.) Dietel

*Puccinia cynodontis* Lacroix ex Desm.

*Puccinia droogensis* E.J.Butler

*Puccinia dutchiae* Ellis & Tracy

*Puccinia eragrostidis* Petch

*Puccinia exhauriens* Thüm.

*Puccinia ferruginea* Lév.

*Puccinia flaccida* Lév.

*Puccinia heterospora* Berk. & M.A.Curtis

*Puccinia isachnes* (Petch) Petch

*Puccinia kuehnii* (W.Krüger) E.J.Butler

*Puccinia kusanoi* Dietel

*Puccinia longicornis* Pat. & Har.

*Puccinia mysorensis* Syd., P.Syd. & E.J.Butler

*Puccinia nakanishikii* Dietel

*Puccinia pelargonii-zonalis* Doidge

*Puccinia penniseti* Barclay

*Puccinia phyllocladiae* Cooke

*Puccinia pagonatheri* Petch

*Puccinia polygonii-amphibii* Pers.

*Puccinia pruni-spinosae* Pers.

*Puccinia purpurea* Cooke

*Puccinia romagnoliana* Maire & Sacc.

*Puccinia ruelliae* Lagerh.

*Puccinia rufipes* Dietel

*Puccinia shiraiana* P.Syd.

*Puccinia sonchii* Roberge ex Desm.

*Puccinia sorghi* Schwein.

*Puccinia spongiosa* Berk. & Broome

*Puccinia substriata* Ellis & Barthol.

*Puccinia tabernaemontanae* Berk. & Broome

*Puccinia thwaitesii* Berk.

*Puccinia uralensis* Tranzschel

*Puccinia vernoniae-scariosae* Petch

*Uromyces anotidis* Petch

*Uromyces apludae* Syd. & E.J.Butler

*Uromyces appendiculatus* (Pers.) Lév.

*Uromyces bidentis* Lagerh.

*Uromyces blainvilleae* Berk.

*Uromyces decorates* Syd. & P.Syd.

*Uromyces dianthi* (Pers.) Niessl

*Uromyces echinulatus* Niessl

*Uromyces fabae* de Bary ex Cooke

*Uromyces hobsoni* Vize

*Uromyces linearis* Berk. & Broome

*Uromyces mucunae* Rabenh.

*Uromyces pseudarthriae* Cooke

*Uromyces rumicis* (Schumach.) G.Winter

*Uromyces scleriae* Henn.

*Uromyces setariae-italicae* Yoshino

*Uromyces sojae* (Henn.) Syd. & P.Syd.

*Uromyces vestergreni* P.Syd. & Syd.

*Uromyces vignae* Barclay

*Xenostele echinacea* (Berk.) Syd. & P.Syd.

*Xenostele litseae* (Pat.) Syd. & P.Syd.

**Pucciniales (Family, Incertae sedis)**

*Hemileia phaji* (Racib.) P.Syd. & Syd.

*Hemileia vastatrix* Berk. & Broome

*Hemileia wrightiae* (Racib.) Racib.

*Uredo amomi* Petch

*Uredo andropogonis-zeylanici* Petch

*Uredo anthistiriae* Petch

*Uredo anthistiriae-tremulae* Petch

*Uredo argyreiae* Petch

*Uredo artocarpi* Berk. & Broome

*Uredo callicarpae* Petch

*Uredo caricicola* Petch

*Uredo cassiae-bicapsularis* Petch

*Uredo cassiae-glauciae* Syd. & P.Syd.

*Uredo chasaliae* Petch

*Uredo clerodendricola* Vienn.-Bourg.

*Uredo commeliniae* Speg.

*Uredo cudraniae* Petch

*Uredo cymbopogonis-polyneuri* Petch

*Uredo dendrocalami* Petch

*Uredo desmodii-pulchelli* Syd. & P.Syd.

*Uredo dianellae* Dietel

*Uredo dioscoreae-alatae* Racib.

*Uredo dioscoreae-sativae* Syd. & P.Syd.

*Uredo dregiae* Petch

*Uredo elephantopodis* Petch

*Uredo emiliae-zeylanicae* Petch

*Uredo erythrinae* Henn.

*Uredo gynurae* Petch

*Uredo hemidesmi* Petch

*Uredo hyperici-japonici* Petch

*Uredo hyperici-mysorensis* Petch

*Uredo ignobilis* Syd. & P.Syd.

*Uredo ischaemi-ciliaris* Petch

*Uredo lipocarphae* Syd. & P. Syd.

*Uredo lophantheri* Petch

*Uredo marisci* Petch

*Uredo meliosmae* Petch

*Uredo microglossae* Petch

*Uredo momordicae* Petch

*Uredo ochlandrae* Petch

*Uredo operta* Syd. P.Syd. & E.J.Butler

*Uredo ophiopogonis* Syd. & P.Syd.

*Uredo ophiorrhizae* Petch

*Uredo panici-montani* Petch

*Uredo panici-villosi* Petch

*Uredo paspali-longiflori* Petch

*Uredo paspali-perrottetii* Petch

- Uredo paspali-scrobiculati* Syd. & P.Syd.  
*Uredo phyllanthi-longifolii* Petch  
*Uredo phyllanthi-reticulati* Petch  
*Uredo pouzolziae* Syd. & P.Syd.  
*Uredo pseudocannae* Cummins  
*Uredo sissoo* Syd., PSyd. & E.J.Butler  
*Uredo socotrae* Syd. & P.Syd.  
*Uredo sopubiae* Petch  
*Uredo tectonae* Racib.  
*Uredo tephrosiae* Rabenh.  
*Uredo trichosanthes* Petch  
*Uredo vernoniicola* Petch
- Pucciniastraceae**  
*Pucciniastrum agrimoniae* (Dietel) Tranzschel  
*Pucciniastrum boehmeriae* (Dietel) Syd. & P.Syd.
- Punctulariaceae**  
*Punctularia atropurpurascens* (Berk. & Broome) Petch
- Pyriculariaceae**  
*Pyricularia oryzae* Cavara
- Raveneliaceae**  
*Diorchidium laevigatum* Syd. & E.J.Butler  
*Diorchidium orientale* Syd., P.Syd. & E.J.Butler  
*Diorchidium polyalthiae* Syd. & P.Syd  
*Ravenelia aculeifera* Berk.  
*Ravenelia berkeleyi* Mundk. & Thirum.  
*Ravenelia breyniae-patentis* Thirum. & Mundk.  
*Ravenelia emblicae* Syd. & P.Syd.  
*Ravenelia hobsoni* Cooke  
*Ravenelia sessilis* Berk.  
*Ravenelia stictica* Berk. & Broome
- Rhytismataceae**  
*Hypodermella symploci* Petch  
*Lophodermium fourcroyae* (Berk. & Broome) Massee  
*Terriera furcraeae* (Berk. & Broome) P.R.Johnst.
- Sarcosomataceae**  
*Sarcosoma thwaitesii* (Berk. & Broome) Petch
- Sarocladiaceae**  
*Sarocladium oryzae* (Sawada) W.Gams & D.Hawksw
- Sclerotiniaceae**  
*Botrytis cinerea* Pers.  
*Monilinia fructicola* (G. Winter) Honey  
*Sclerotinia sclerotiorum* (Lib.) de Bary
- Septobasidiaceae**  
*Septobasidium accumbans* (Berk. & Broome) Bres.  
*Septobasidium aligerum* Petch  
*Septobasidium boedijnii* Couch  
*Septobasidium bogoriense* Pat.  
*Septobasidium curtisii* (Berk. & Desm.) Boedijn & B.A.Steinm.  
*Septobasidium petchii* Couch ex L.D.Gómez & Henk
- Septobasidium rimulosum* Petch & Couch  
*Septobasidium scabiosum* Couch & Petch ex L.D.Gómez & Henk  
*Septobasidium suffultum* (Berk. & Broome) Pat.  
*Septobasidium theae* Boedijn & B.A.Steinm  
*Septobasidium thwaitesii* (Berk. & Broome) Pat.  
*Septofusidium elegantulum* (Pidopl.) W.Gams  
*Uredinella spinulosa* Couch & Petch
- Seuratiaceae**  
*Atchia millardeti* Racib
- Sordariomycetes (Family, Incertae sedis)**  
*Rhopographella ochlandrae* Petch  
*Rhynchosphaeria sepulta* Petch
- Sphaerophragiaceae**  
*Hapalophragmium derridis* Syd. & P.Syd.  
*Hapalophragrium ponderosum* Syd., P.Syd. & E.J. Butler  
*Nyssopsora thwaitesii* (Berk. & Broome) Syd.
- Stachybotryaceae**  
*Myrothecium roridum* Tode
- Stereaceae**  
*Stereum thwaitesii* (Berkeley & Broome) Petch
- Stictidaceae**  
*Stictis radiata* (L.) Pers.
- Strophariaceae**  
*Flammula dilepis* (Berk. & Broome) Sacc.  
*Pholiota badia* Petch
- Taphrinaceae**  
*Taphrina cornu-cervi* Giesenh.  
*Taphrina deformans* (Berk.) Tul.  
*Taphrina laurencia* Giesenh.  
*Taphrina maculans* E.J.Butler
- Thelephoraceae**  
*Skepperia zeylanica* Petch
- Thyridiaceae**  
*Thyridaria pteridis* Petch  
*Thyridium flavum* Petch
- Thyridiaceae**  
*Bivonella chrysomella* (Berk. & Broome) Sacc.
- Tilletiaceae**  
*Tilletia ayresii* Berk.
- Trichosphaeriaceae**  
*Brachysporium torulosum* Syd.
- Trichocomaceae**  
*Coremium compressum* (Berk. & Broome) Petch  
*Talaromyces purpurogenus* (Stoll) Samson, Yilmaz, Frisvad & Seifert

<b>Tricholomataceae</b>	<b>Fungal-like organisms</b>
<i>Clitocybe nigra</i> Petch	(Kingdom: Chromista, Phylum: Oomycota)
<b>Trichosphaeriaceae</b>	<b>Albugiaceae</b>
<i>Trichosphaeria fasciculifera</i> Petch	<i>Albugo candida</i> (Pers. Ex. Lev.) Kuntze.
<i>Trichosphaeria sparsibarba</i> Petch	<i>Cystopus bliti</i> (Biv.) Lév.
<b>Tubeufiaceae</b>	<i>Cystopus candidus</i> (Pers. ex J.F.Gmel.) Lév.
<i>Helicoma recurvum</i> Petch	<i>Cystopus ipomoeae-panduratae</i> (Schwein.) J.A.Stev. & Swingle
<b>Typhulaceae</b>	<i>Cystopus platensis</i> Speg.
<i>Sclerotium oryzae</i> Catt.	<i>Cystopus portulacae</i> (DC. ex Duby) Lév.
<i>Sclerotium rolfsii</i> Sacc.	
<b>Ustilaginaceae</b>	<b>Peronosporaceae</b>
<i>Pericladium grewiae</i> Pass.	<i>Peronospora parasitica</i> (Pers.) de Bary
<i>Ustilago anthistiriae</i> Petch	<i>Phytophthora arecae</i> (L.C.Coleman) Pethybr.
<i>Ustilago coicis</i> Bref.	<i>Phytophthora botrys</i> (Berk. & M.A.Curtis) Rostovzev
<i>Ustilago digitariae</i> (Kunze) Rabenh.	<i>Phytophthora capsici</i> Leonian
<i>Ustilago linearis</i> (Berk. & Broome) Petch	<i>Phytophthora citricola</i> Sawada
<i>Ustilago scitaminea</i> Sydow.	<i>Phytophthora colocasiae</i> Racib
<i>Ustilago tonglinensis</i> Tracy & Earle	<i>Phytophthora heveae</i> A.W.Thompson
	<i>Phytophthora infestans</i> (Mont.) de Bary
	<i>Phytophthora meadii</i> McRae
	<i>Phytophthora palmivora</i> (E.J.Butler) E.J.Butler
	<i>Phytophthora parasitica</i> var. <i>nicotiane</i> (Breda de Haan)
<b>Valsaceae</b>	Tucker
<i>Laestadia jasmine</i> Petch	<i>Phytophthora phaseoli</i> Thaxt.
<i>Laestadia pertusa</i> (Berk. & Broome) Sacc.	<i>Plasmopara viticola</i> (Berk. & M.A.Curtis) Berl. & De Toni
<i>Laestadia traversi</i> Cavara	<i>Pseudoperonospora cubensis</i> (Berkeley & Curtis)
	Rostovtsev
<b>Valsariaceae</b>	
<i>Valsaria cinnamomi</i> (Ces.) Sacc.	
<b>Venturiaceae</b>	<b>Pythiaceae</b>
<i>Fusicladium pongamiae</i> Syd. & PSyd.	<i>Pythium aphanidermatum</i> (Edson) Fitzp.
<i>Phaeosphaerella theae</i> Petch	<i>Pythium graminicola</i> Subraman.
<i>Venturia emergens</i> Petch	<i>Pythium myriotylum</i> Drechsler
	<i>Pythium ultimum</i> Drechsler
<b>Vizellaceae</b>	<i>Pythium vexans</i> de Bary
<i>Vizella guaranitica</i> Speg.	
<b>Xylariaceae</b>	
<i>Anthostomella destruens</i> Shear	
<i>Anthostomella palmarum</i> Petch	
<i>Astrocytis mirabilis</i> Berk. & Broome	
<i>Kretzschmaria micropus</i> (Fr.) Sacc.	
<i>Kretzschmaria sphaerocephala</i> Petch	
<i>Nemania diffusa</i> (Sowerby) Gray	
<i>Nummularia porosa</i> Petch	
<i>Penzigia placenta</i> Petch	
<i>Rosellinia arcuata</i> Petch	
<i>Rosellinia bunodes</i> (Berk. & Broome) Sacc.	
<i>Rosellinia caudata</i> Petch	
<i>Rosellinia decidua</i> Petch	
<i>Rosellinia obtusa</i> Petch	
<i>Seynesia ipomoeae</i> Syd. & P.Syd.	
<i>Ustulina deusta</i> (Hoffm.) Maire	
<i>Ustulina zonata</i> (Lév.) Sacc.	
<i>Xylaria ianthino-velutina</i> (Mont.) Mont.	
<i>Xylaria thwaitesii</i> Berk. & Cooke	

## Checklist 2

### AGARIC FLORA OF SRI LANKA

**Kingdom: Fungi**

**Phylum: Basidiomycota**

**Orders: Aphyllophorales, Cantharellales, Agaricales, Boletales, Russiales**

- Agaricus actinorachis* Berk. & Br. (Berkeley and Broome, 1871)  
*Agaricus bolorhizus* Berk. & Br. (Berkeley and Broome, 1871)  
*Agaricus callipeplus* Berk. & Br. (Berkeley and Broome, 1871)  
*Agaricus chloroconius* Berk. & Br. (Berkeley and Broome, 1871)  
*Agaricus crocopeplus* Berk. & Br. (Berkeley and Broome, 1871)  
*Agaricus endoxanthus* Berk. & Br. (Berkeley and Broome, 1871)  
*Agaricus flavidorufus* Berk. & Br. (Berkeley and Broome, 1871)  
*Agaricus hemilasius* Berk. & Br. (Berkeley and Broome, 1871)  
*Agaricus lasiophrys* Berk. & Br. (Berkeley and Broome, 1871)  
*Agaricus lituratus* Berk. & Br. (Berkeley and Broome, 1871)  
*Agaricus petchii* Pegler (Pegler, 1986)  
*Agaricus rufoalbus* Berk. (Berkeley, 1847)  
*Agaricus simulans* Berk. (Berkeley, 1847)  
*Agaricus spilocephalus* Berk. & Br. (Berkeley and Broome, 1871)  
*Agaricus stadii* (Petch) Pegler (Pegler, 1986)  
*Agaricus tornocephalus* Berk. & Br. (Berkeley and Broome, 1871)  
*Agrocybe badia* (Petch) Pegler (Pegler, 1986)  
*Agrocybe peradenica* Pegler (Pegler, 1986)  
*Agrocybe semiorbicularis* (Bull.) Fayod (Fayod, 1889).  
*Alboleptonia hyalodepas* (Berk. & Br.) Pegler (Pegler, 1983)  
*Alboleptonia stylophora* (Berk. & Br.) Pegler (Pegler, 1977)  
*Amanita angustilamellata* (Hoehnel) Boedijn  
(Boedijn, 1951a)  
*Amanita elata* (Massee) Corner & Bas.  
(Corner and Bas, 1962)  
*Amanita hemibapha* (Berk. & Br.) Sacc. (Saccardo, 1887)  
*Amanita manicula* (Berk. & Br.) Pegler (Pegler, 1986)  
*Amyloflagellula pulchra* (Berk. & Br.) Singer (1966)  
*Anthracophyllum nigritum* (Lev.) Kalchbr.  
(Kalchbrenner, 1881)  
*Armillaria fuscipes* Petch (Petch, 1909)  
*Bolbitius fissus* Berk. & Br. (Berkeley and Broome, 1871)  
*Bolbitius glaucopurpleus* (Berk. & Br.)  
Kuehner ex Watl. & Gregory (Pegler, 1986)  
*Calocybe charistica* (Berk. & Br.) Pegler (Pegler, 1986)  
*Calocybe rubrocyannea* (Berk. & Br.) Pegler (Pegler, 1986)  
*Calocybe theiochroa* (Berk. & Br.) Pegler (Pegler, 1986)  
*Camarophyllus caesius* (Berk. & Br.) Pegler (Pegler, 1986)  
*Camarophyllus nivosus* (Berk. & Br.) Pegler (Pegler, 1986)  
*Camarophyllus singularis* (Hoehnel) Singer (Singer, 1973)  
*Campanella purpureobadia* Petch (Petch, 1926)  
*Campanella pustulata* (Berk. & Br.) Pegler (Pegler, 1986)  
*Campanella simulans* (Pat.) Singer (Singer, 1945)  
*Cantharellus humilis* Berk. & Br.  
(Berkeley and Broome, 1873)  
*Chaetocalathus semisupinus* (Berk. & Br.) Pegler  
(Pegler, 1986)  
*Clarkeinda trachodes* (Berk.) Singer (Singer, 1949)  
*Claudopus repens* Petch (Petch, 1922)  
*Clitocybe flavescens* Petch (Petch, 1926) *Clitocybe petchii*  
Pegler (Pegler, 1986)  
*Clitocybe pyraces* (Berk. & Br.) Sacc. (Saccardo, 1887)  
*Clitopilus apalus* (Berk. & Br.) Petch (Petch, 1917) *Clitopilus peri*  
(Berk. & Br.) Petch (Petch, 1917)  
*Collybia chrysoropha* (Berk. & Br.) Sacc. (Saccardo, 1887)  
*Collybia cubistes* (Berk. & Br.) Sacc. (Saccardo, 1887)  
*Collybia diminuta* (Berk. & Br.) Sacc. (Saccardo, 1887)  
*Collybia leucophaea* (Berk. & Br.) Sacc. (Saccardo, 1887)  
*Collybia multijuga* (Berk. & Br.) Sacc. (Saccardo, 1887)  
*Collybia nephelodes* (Berk. & Br.) Sacc. (Saccardo, 1887)  
*Collybia purpureogrisea* (Petch) Pegler (Pegler, 1986)  
*Collybia rufipicta* (Berk. & Br.) Sacc. (Saccardo, 1887)  
*Collybia sublaccata* (Berk. & Br.) Pegler (Pegler, 1986)  
*Conocybe abjecta* (Berk. & Br.) Pegler (Pegler, 1986)  
*Conocybe phaedropis* (Berk. & Br.) Pegler (Pegler, 1986)  
*Conocybe siennophylla* (Berk. & Br.) Singer (Singer, 1962)  
*Conocybe tenera* (Schaeff. Fayod (Kühner, 1935)  
*Conocybe zeylanica* (Petch) Boed. (Boedijn, 1951b)  
*Copelandia cyanescens* (Berk. & Br.) Singer (Singer, 1949)  
*Coprinus brunneofibrillosus* Dennis (Dennis, 1961)  
*Coprinus castaneus* Berk. & Br. (Berkeley and Broome, 1871)  
*Coprinus disseminatus* (Pers.) Gray (Gray, 1821)  
*Coprinus fibrillosus* Berk. & Br. (Berkeley and Broome, 1871)  
*Coprinus fimbriatus* Berk. & Br. (Berkeley and Broome, 1871)  
*Coprinus furfurellus* (Berk. & Br.) Pegler (Pegler, 1986)  
*Coprinus hians* (Fr.) Quel. (Quelet, 1888)  
*Coprinus macrocephalus* (Berk.) Berk. (Berkeley and Broome, 1871)  
*Coprinus macropus* Berk. & Br. (Berkeley and Broome, 1871)  
*Coprinus pachyterus* Berk. & Br. (Berkeley and Broome, 1871)  
*Coprinus paleocephalus* Redhead & Pegler (Pegler, 1986)

- Coprinus plicatilis* (Curtis) Fr. (Fries, 1838)  
*Coprinus setulosus* Berk. & Br. (Berkeley and Broome, 1871)  
*Crepidotus citrinus* Petch (Petch, 1924)  
*Crepidotus epicrocinus* (Berk. & Br.) Sacc. (Saccardo, 1887)  
*Crepidotus grumosopilosus* (Berk. & Br.) Sacc. (Saccardo, 1887)  
*Crepidotus melleus* (Berk. & Br.) Petch (Petch, 1924)  
*Crepidotus pezizula* (Berk. & Br.) Sacc. (Pegler, 1986)  
*Crepidotus reversus* (Berk. & Br.) Sacc. (Saccardo, 1881)  
*Crepidotus subepicrocinus* Pilat (Pilat, 1950)  
*Crepidotus velutinus* Petch (Petch, 1924)  
*Crinipellis actinophora* (Berk. & Br.) Singer (Singer, 1955)  
*Crinipellis multicolor* (Petch) Pegler (Pegler, 1986)  
*Crinipellis omotricha* (Berk.) Reid (Reid, 1975)  
*Cystoderma granulosum* (Batsch Fayod (Fayod, 1889)  
*Cystolepiota omnipnera* (Berk. & Br.) Pegler (Pegler, 1986)  
*Cystolepiota pseudogranulosa* (Berk. & Br.) Pegler (Pegler, 1986)  
*Delicatula hyalina* (Petch) Pegler (Pegler, 1986)  
*Dermoloma scotodes* (Berk. & Br.) Pegler (Pegler, 1986)  
*Dictyopanus pusillus* (Pers. ex Lev.) Singer (Singer, 1945)  
*Favolaschia minima* (Jungh.) Singer (Singer, 1945)  
*Favolaschia thwaitesii* (Berk. & Br.) Singer (Singer, 1945)  
*Filibolletus manipularis* (Berk.) Singer (Singer, 1945)  
*Flammulaster fulvoalbus* (Berk. & Br.) Pegler (Pegler, 1977)  
*Galerella microphues* (Berk. & Br.) Pegler (Pegler, 1986)  
*Galerina sulciceps* (Berk.) Boedijn (Boedijn, 1951b)  
*Gerronema holochlorum* (Berk. & Br.) Pegler (Pegler, 1977)  
*Gimnopilus dilepis* (Berk. & Br.) Singer (Singer, 1949)  
*Gloeocantharellus lateritius* (Petch) Corner (Corner, 1969)  
*Gloiocephala albocapitata* (Petch) Singer (1960)  
*Gloiocephala helisca* (Berk. & Br.) Pegler (Pegler, 1986)  
*Gymnopilus crocias* (Berk. & Br.) Singer (Singer, 1962)  
*Gymnopilus oxylepis* (Berk. & Br.) Singer (Singer, 1962)  
*Hebeloma trachysporium* Petch (Petch, 1925)  
*Hemimycena perone* (Berk. & Br.) Pegler (Pegler, 1986)  
*Hohenbuehelia testudo* (Berk.) Pegler (Pegler, 1986)  
*Hydropus antihidepas* (Berk. & Br.) Singer (Singer, 1982)  
*Hydropus cystidiatus* (Corner) Pegler (Pegler, 1986)  
*Hydropus porphyrodes* (Berk. & Br.) Pegler (Pegler, 1986)  
*Hygrocybe alliciens* (Berk. & Br.) Pegler (Pegler, 1986)  
*Hygrocybe alwisii* (Berk. & Br.) Pegler (Pegler, 1986)  
*Hygrocybe anisa* (Berk. & Br.) Pegler (Pegler, 1986)  
*Hygrocybe apala* (Berk. & Br.) Pegler (Pegler and Rayner, 1969)  
*Hygrocybe cinerascens* (Berk. & Br.) Pegler (Pegler, 1977)  
*Hygrocybe conica* (Schaeff.) P. Kumm (Kummer, 1871)  
*Hygrocybe dimorpha* (Berk. & Br.) Pegler (Pegler, 1986)  
*Hygrocybe diversicolor* (Petch) Pegler (Pegler, 1986)  
*Hygrocybe elegantissima* (Berk. & Br.) Pegler (Pegler, 1986)  
*Hygrocybe firma* (Berk. & Br.) Singer (Singer, 1958)  
*Hygrocybe miniata* (Fr.) Kummer (Kummer, 1871)  
*Hygrocybe roseostriata* (Berk. & Br.) Pegler (Pegler, 1986)  
*Hygrocybe similis* (Petch) Pegler (Pegler, 1986)  
*Hygrocybe tricolor* (Berk. & Br.) Pegler (Pegler, 1986)  
*Hygrocybe tricoloroides* Pegler (Pegler, 1986)
- Hymenagaricus alphitochrous* (Berk. & Br.) Heinem. (Heinemann, 1981)  
*Hymenagaricus subaeruginosus* (Berk. & Br.) Heinem. & Little Flower (Heinemann, 1884)  
*Hypholoma subviride* (Berk. & Br.) Dennis (Dennis, 1961)  
*Inocybe cutifracta* Petch (Petch, 1917)  
*Inocybe fuscospinulosa* Corner & Horak (Horak, 1980)  
*Inocybe petchii* Boedijn (Boedijn, 1951b)  
*Inopilus brunneus* (Petch) Pegler (Pegler, 1986)  
*Inopilus infundibuliformis* (Petch) Pegler (Pegler, 1986)  
*Inopilus virescens* (Berk. & Curt.) Pegler (Pegler, 1986)  
*Laccaria lateritia* Malenc. (Malençon, 1966)  
*Lactocollybia epia* (Berk. & Br.) Pegler (Pegler, 1986)  
*Lentinellus pseudobarbatus* (Petch) Pegler (Pegler, 1986)  
*Lentinus ciliatus* Lev. (Léveillé, 1844)  
*Lentinus connatus* Berk. (Berkeley, 1842)  
*Lentinus giganteus* Berk. (Berkeley, 1847)  
*Lentinus polychrous* Lev. (Léveillé, 1844)  
*Lentinus sajor-caju* (Fr.) Fr. (Fries, 1838)  
*Lentinus similis* Berk. & Br. (Berkeley and Broome, 1873)  
*Lentinus squarrosulus* Mont. (1842) (Montagne, 1842)  
*Lentinus strigosus* (Schwein.) Fr. (Fries, 1825)  
*Lentinus torulosus* (Pers.) Lloyd (Lloyd, 1913)  
*Lentinus tuberregium* (Singer) Pegler (Fries, 1832)  
*Lentinus velutinus* Fr. (Fries, 1830)  
*Lepiota alopochora* (Berk. & Br.) Sacc. (Saccardo, 1887)  
*Lepiota anthomyces* (Berk. & Br.) Sacc. (Saccardo, 1886)  
*Lepiota apalochroa* (Berk. & Br.) Sacc. (Saccardo, 1887)  
*Lepiota carpophylla* (Berk. & Br.) Sacc. (Saccardo, 1887)  
*Lepiota ceramogenes* (Berk. & Br.) Sacc. (Saccardo, 1886)  
*Lepiota citrophylla* (Berk. & Br.) Sacc. (Saccardo, 1887)  
*Lepiota columbicolor* (Berk. & Br.) Sacc. (Saccardo, 1887)  
*Lepiota epicharis* (Berk. & Br.) Sacc. (Saccardo, 1887)  
*Lepiota eriphaea* (Berk. & Br.) Sacc. (Saccardo, 1887)  
*Lepiota erythrogamma* (Berk. & Br.) Sacc. (Saccardo, 1887)  
*Lepiota erythrosticta* (Berk. & Br.) Sacc. (Saccardo, 1887)  
*Lepiota flagellata* (Berk. & Br.) Sacc. (Saccardo, 1887)  
*Lepiota holospiota* (Berk. & Br.) Sacc. (Saccardo, 1887)  
*Lepiota leontoderes* (Berk. & Br.) Sacc. (Saccardo, 1887)  
*Lepiota lepidophora* (Berk. & Br.) Sacc. (Saccardo, 1887)  
*Lepiota leprica* (Berk. & Br.) Sacc. (Saccardo, 1887)  
*Lepiota metabola* (Berk. & Br.) Sacc. (Saccardo, 1887)  
*Lepiota metulispora* (Berk. & Br.) Sacc. (Saccardo, 1887)  
*Lepiota micropholis* (Berk. & Br.) Sacc. (Saccardo, 1887)  
*Lepiota oenocephala* (Berk. & Br.) Sacc. (Saccardo, 1887)  
*Lepiota pardalota* (Berk. & Br.) Sacc. (Saccardo, 1887)  
*Lepiota paroena* (Berk. & Br.) Sacc. (Saccardo, 1887)  
*Lepiota phlyctaenodes* (Berk. & Br.) Sacc. (Saccardo, 1887)  
*Lepiota plumbicolor* (Berk. & Br.) Sacc. (Saccardo, 1887)  
*Lepiota pselliophora* (Berk. & Br.) Sacc. (Saccardo, 1887)  
*Lepiota pyrrhaea* (Berk. & Br.) Sacc. (Saccardo, 1887)  
*Lepiota revelata* (Berk. & Br.) Sacc. (Saccardo, 1887)  
*Lepiota rhyparophora* (Berk. & Br.) Sacc. (Saccardo, 1887)  
*Lepiota spongodes* (Berk. & Br.) Sacc. (Saccardo, 1887)  
*Lepiota thrombophora* (Berk. & Br.) Sacc. (Saccardo, 1887)  
*Lepiota viridiflava* Petch (Petch, 1917)  
*Lepiota viriditincta* (Berk. & Br.) Sacc. (Saccardo, 1887)

- Lepista hyalodes* (Berk. & Br.) Pegler (Pegler, 1986)  
*Lepista sordida* (Fr.) Singer (Singer, 1949)  
*Leptonia elaphines* (Berk. & Br.) Pegler (Pegler, 1977)  
*Leptonia gnaphalodes* (Berk. & Br.) Sacc. (Saccardo, 1887)  
*Leptonia gnochodes* (Berk. & Br.) Sacc. (Saccardo, 1887)  
*Leptonia iodnephes* (Berk. & Br.) Pegler (Pegler, 1977)  
*Leptonia purpurea* (Petch) Pegler (Pegler, 1986)  
*Leptonia serrulata* (Fr.) P. Kumm. (Kummer, 1871)  
*Leucocoprinus birnbaumii* (Corda) Singer (Singer, 1962)  
*Leucocoprinus cepistipes* (Sow: Fr.) Pat. (Patouillard, 1889)  
*Leucocoprinus fragillissimus* (Rav.) Pat. (Patouillard, 1888)  
*Leucocoprinus zeylanicus* (Berk.) Boedijn (Boedijn, 1940)  
*Limacella anomologa* (Berk. & Br.) Pegler (Pegler, 1986)  
*Limacella myxodictyon* (Berk. & Br.) Pegler (Pegler, 1986)  
*Macrolepiota dolichaula* (Berk. & Br.) Pegler & Rayner  
(Pegler and Rayner, 1969)  
*Marasmiellus calami* (Petch) Singer (Singer, 1955)  
*Marasmiellus corticigenus* (Berk. & Br.) Pegler (Pegler, 1986)  
*Marasmiellus delicius* (Berk. & Br.) Pegler (Pegler, 1986)  
*Marasmiellus epochnous* (Berk. & Curt.) Singer (1955)  
*Marasmiellus flosculus* (Berk. & Br.) Pegler (Pegler, 1986)  
*Marasmiellus goossensiae* (Beeli) Pegler (Pegler, 1977)  
*Marasmiellus hirtellus* (Berk. & Br.) Pegler (Pegler, 1977)  
*Marasmiellus ignobilis* (Berk. & Br.) Singer (Pegler, 1977)  
*Marasmiellus nigripes* (Schwein.) Singer (Singer, 1948)  
*Marasmiellus paspali* (Petch) Singer (Singer, 1955)  
*Marasmiellus petchii* Pegler (Pegler, 1986)  
*Marasmiellus purpureoalbus* (Petch) Singer (Singer, 1962)  
*Marasmiellus salmonicolor* (Berk. & Br.) Pegler (Pegler, 1986)  
*Marasmiellus senescens* (Petch) Pegler (Pegler, 1986)  
*Marasmiellus stypinoides* (Petch) Pegler (Pegler, 1986)  
*Marasmiellus stypinus* (Berk. & Br.) Pegler (Pegler, 1986)  
*Marasmiellus subaurantiacus* (Berk. & Br.)  
Pegler (Pegler, 1986)  
*Marasmius atrorubens* (Berk.) Berk. (Montagne, 1854)  
*Marasmius brunneolus* (Berk. & Br.) Pegler (Pegler, 1986)  
*Marasmius calvus* Berk. & Br. (Berkeley and Broome, 1873)  
*Marasmius caryotae* (Berk.) Petch (Petch, 1910)  
*Marasmius confertus* Berk. & Br. (Berkeley and Broome, 1873)  
*Marasmius coniatus* Berk. & Br. (Berkeley and Broome, 1873)  
*Marasmius crinisequi* F. Muell. ex Kalchbr.  
(Kalchbrenner, 1880)  
*Marasmius cylindraceocampanulatus* P. Henn.  
(Hennings, 1900)  
*Marasmius florideus* Berk. & Br. (Berkeley and Broome, 1873)  
*Marasmius fulviceps* Berk. (Berkeley, 1847)  
*Marasmius galericula* (Cesati) Sacc. (Saccardo, 1887)  
*Marasmius gordipes* Sacc. & Paol. (Saccardo and Paoletti, 1888)  
*Marasmius hakgalensis* Petch (Petch, 1947)  
*Marasmius hakgalensis* var. *denudatus* Petch  
(Petch, 1947,)  
*Marasmius hakgalensis* var. *hakgalensis* Petch  
(Petch, 1947)  
*Marasmius heamatocaphalus* (Mont.) Fr. (Fries, 1838)  
*Marasmius hypochroides* Berk. & Br. (Berkeley and Broome, 1873)  
*Marasmius lateritius* Petch (Petch, 1947)  
*Marasmius leveillianus* (Berk.) Pat. (Pegler, 1986)  
*Marasmius micraster* Petch (Petch, 1947)  
*Marasmius nigrobrunneus* (Pat.) Sacc. (Saccardo, 1895)  
*Marasmius nummularius* Berk. & Br. (Berkeley and Broome, 1873)  
*Marasmius ochraceus* Berk. & Br. (Berkeley and Broome, 1873)  
*Marasmius pellucidus* Berk. & Br. (Berkeley and Broome, 1873)  
*Marasmius rigidichorda* Petch (Petch, 1947)  
*Marasmius rotalis* Berk. & Br. (Berkeley and Broome, 1873)  
*Marasmius subconiatus* Petch (Petch, 1947)  
*Marasmius tenuissimus* (Junghuhn) Singer (Singer, 1976)  
*Marasmius thwaitesii* Berk. & Br. (Berkeley and Broome, 1873)  
*Marasmius tortipes* Berk. & Curt.  
(Berkeley and Curtis, 1869)  
*Marasmius tubulatus* Petch (Petch, 1947)  
*Marasmius viridicarneus* (Berk. & Br.) Pegler (Pegler, 1986)  
*Melanoleuca conspurcata* (Berk. & Br.) Pegler  
(Pegler, 1986)  
*Melanophyllum echinatum* (Roth) Singer (Singer, 1949)  
*Melanotus phaeophyllus* (Berk.) Pilat (Pilat, 1950)  
*Melanotus proteus* (Kalchbr.) Singer (Singer, 1946)  
*Micropsalliota arginea* (Berk. & Br.) Pegler & Rayner  
(Pegler, and Rayner, 1969)  
*Micropsalliota erythrospila* (Berk. & Br.) Pegler  
(Pegler, 1986)  
*Micropsalliota plumaria* (Berk. & Br.) Hoehnel  
(Höhnle, 1914)  
*Mniopetalum furfuraceum* (Petch) Pegler (Pegler, 1986)  
*Mycena alphitophora* (Berk.) Sacc. (Saccardo, 1887)  
*Mycena auroricolor* (Berk. & Br.) Petch (Petch, 1944)  
*Mycena chlorophos* (Berk. & Curt.) Sacc. (Saccardo, 1887)  
*Mycena clavulifera* (Berk. & Br.) Sacc. (Saccardo, 1887)  
*Mycena lamprospora* Corner ex Horak (Horak, 1978)  
*Mycena longiseta* Hoehnel (Höhnle, 1909)  
*Mycena paediscula* (Berk. & Br.) Sacc. (Saccardo, 1887)  
*Mycena pallidorubens* (Berk. & Br.) Sacc. (Saccardo, 1887)  
*Mycena stylobates* (Pers.) Kummer (Kummer, 1871)  
*Neopaxillus reticulatus* (Petch) Pegler (Pegler, 1986)  
*Nolanea apiculata* Petch (Petch, 1924)  
*Nolanea maderaspatana* Pegler (Pegler, 1977)  
*Nolanea mazophora* (Berk. & Br.) Pegler (Pegler, 1977)  
*Oudemansiella canarii* (Jungh.) Höhnle (Höhnle, 1909)  
*Oudemansiella endochorda* (Berk. & Br.) Pegler  
(Pegler, 1986)  
*Panaeolus rubricaulis* Petch (Petch, 1924)  
*Paxillus russuloides* Petch (Petch, 1909)  
*Phlebopus portentosus* (Berk. & Br.) Boedijn  
(Boedijn, 1951b)  
*Pholiota dasypepla* (Berk.) Cooke apud Sacc.  
(Saccardo, 1891)

- Pholiota micromeres* (Berk. & Br.) Sacc. (Saccardo, 1887)  
*Pholiota siennaecolor* (Petch) Pegler (Pegler, 1986)  
*Pleurocollybia versiformis* (Berk.) Pegler (Pegler, 1977)  
*Pleuroflammula flavomarginata* (Berk. & Br.)  
 Singer (Singer, 1951)  
*Pleurotus angustatus* (Berk. & Br.) Sacc. (Saccardo, 1887)  
*Pleurotus djamor* (Fr.) Boedijn. (Wit, 1959)  
*Pleurotus polychromus* (Berk. & Br.) Sacc. (Saccardo, 1887)  
*Pluteus stigmatophorus* (Berk. & Br.) Sacc. (Saccardo, 1887)  
*Pluteus aeolus* (Berk. & Br.) Sacc. (Saccardo, 1887)  
*Pluteus aglaeotheloides* (Berk. & Br.) Sacc. (Saccardo, 1887)  
*Pluteus albolineatus* (Berk. & Br.) Sacc. (Saccardo, 1887)  
*Pluteus brunneopictus* (Berk. & Br.) Sacc. (Saccardo, 1887)  
*Pluteus chrysaegeus* (Berk. & Br.) Petch (Petch, 1912)  
*Pluteus conizatus* (Berk. & Br.) Sacc. (Saccardo, 1887)  
*Pluteus escharites* (Berk. & Br.) Sacc. (Saccardo, 1887)  
*Pluteus eugraptus* (Berk. & Br.) Sacc. (Saccardo, 1887)  
*Pluteus flaviceps* Petch (Petch, 1924)  
*Pluteus flavomarginatus* Petch (Petch, 1922)  
*Pluteus fusconigricans* (Berk. & Br.) Sacc. (Saccardo, 1887)  
*Pluteus glyphidatus* (Berk. & Br.) Sacc. (Saccardo, 1887)  
*Pluteus grandineus* (Berk. & Br.) Sacc. (Saccardo, 1887)  
*Pluteus pelinus* (Berk. & Br.) Sacc. (Saccardo, 1887)  
*Pluteus psichiophorus* (Berk. & Br.) Sacc. (Saccardo, 1887)  
*Pluteus spilopus* (Berk. & Br.) Sacc. (Saccardo, 1887)  
*Pluteus subcervinus* (Berk. & Br.) Sacc. (Saccardo, 1887)  
*Pouzaromyces lasius* (Berk. & Br.) Pegler (Pegler, 1977)  
*Pouzaromyces myodermus* (Berk. & Br.) Pegler (1977)  
*Psathyrella amaura* (Berk. & Br.) Pegler (Berkeley and  
 Broome, 1871)  
*Psathyrella candolleana* (Fr.) Maire (Pegler, 1986)  
*Psathyrella efflorescens* (Berk. & Br.) Pegler (Pegler, 1986)  
*Psathyrella lucipeta* (Berk. & Br.) Pegler (Berkeley and  
 Broome, 1871)  
*Psathyrella reticulata* Petch (Petch, 1917)  
*Psathyrella rufescens* (Patch) Pegler (Pegler, 1986)  
*Psathyrella tiarella* (Berk. & Br.) Sacc. (Saccardo, 1887)  
*Psathyrella trechispora* (Petch) Pegler (Pegler, 1986)  
*Psilocybe crotulosa* (Fr.) M. Lange ex Singer (Singer, 1962)  
*Psilocybe goniospora* (Berk. & Br.) Singer (Singer, 1962)  
*Psilocybe ochreata* (Berk. & Br.) Horak ex Guzman  
 (Guzmán, 1983)  
*Psilocybe pseudobullacea* (Petch) Pegler (Pegler, 1977)  
*Psilocybe rostrata* (Petch) Pegler (Pegler, 1986)  
*Pulveroboletus xylophilus* (Petch) Pegler (Pegler, 1986)  
*Pyrrhoglossum hepatizon* (Berk.) Singer (Singer, 1951)  
*Pyrrhoglossum holocrocinum* (Berk.) Singer (Singer, 1955)  
*Resupinatus silvanus* (Sacc.) Singer (Singer, 1949)  
*Rhacophyllus lilacinus* Berk. & Br. (Berkeley and  
 Broome, 1871)  
*Rhodocybe retroflexa* (Berk. & Br.) Pegler (Pegler, 1977)  
*Rhodocybe subgilva* (Berk. & Br.) Pegler (Pegler, 1977)  
*Rickenella straminea* (Petch) Pegler (Pegler, 1986)  
*Russula fuscogrisea* Petch (Petch, 1922)  
*Russula periglypta* Berk. & Br. (Berkeley and  
 Broome, 1871)  
*Russula purpureonigra* Petch (Petch, 1917)  
*Schizophyllum commune* Fr. (Fries, 1821)  
  
*Simocybe gnopholopus* (Berk. & Br.) Pegler (Pegler, 1986)  
*Termitomyces eurrhizus* (Berk.) Heim (Heim, 1942)  
*Termitomyces microcarpus* (Berk. & Br.) Heim (Heim, 1942)  
*Tricholoma crassum* (Berk.) Sacc. (Saccardo 1887)  
*Tricholoma rhacophorum* (Berk. & Br.) Sacc.  
 (Saccardo, 1887)  
*Tricholomopsis crocophapha* (Berk. & Br.) Pegler  
 (Pegler, 1977)  
*Tricholomopsis nigra* (Petch) Pegler (Pegler, 1986)  
*Trogia grisea* (Berk.) Pat. (Patouillard, 1900)  
*Trogia inaequalis* (Berk. & Br.) Corner (Corner, 1966)  
*Trogia infundibuliformis* Berk. & Br. (Berkeley and  
 Broome, 1873)  
*Volvaria diplasia* (Berk. & Br.) Singer (Singer, 1951)  
*Volvariella apalotricha* (Berk. & Br.) Pegler (Pegler, 1986)  
*Volvariella glandiformis* (Berk. & Br.) Pegler (Pegler, 1986)  
*Volvariella pseudovolvacea* (Berk. & Br.) Singer  
 (Singer, 1962)  
*Volvariella terastia* (Berk. & Br.) Singer (Singer, 1961)  
*Xerocomus sylvestris* (Petch) Pegler (Pegler, 1986)  
*Xerulina asprata* (Berk.) Pegler (Pegler, 1972)  
*Xerulina myochroa* Berk. & Br



**Cookeina tricholoma** (Mont.) Kuntze  
Ascomycota, Pezizomycotina, Pezizales, Sarcoscyphaceae,  
Origin: Native  
Habitat: Fallen twigs & wood  
Place and year: Morella forest reserve, Knuckles, 2019  
Photographed by: Deepthi Yakandawala



**Dictyophora indusiata** (Vent.) Desv.  
Basidiomycota, Agaricomycotina, Phallales, Phallaceae  
Origin: Native  
Habitat: Grass, soil  
Place and year: Peradeniya, 2012  
Photographed by: Nimal Adikaram



**Geastrum saccatum** Fr.  
Basidiomycota, Agaricomycotina, Gaestrales, Gaeastraceae  
Origin: Native  
Habitat: Woodlands, Plant litter  
Place and Year: Peradeniya, 2018  
Photographed by: Deepthi Yakandawala



**Helvella crispa** (Scop.) Fr.  
Ascomycota, Pezizomycotina, Pezizales, Hevellaceae  
Origin: Native Habitat: Soil, grass  
Place and year: Hantana, Kandy, 2020 (This is the first record in Sri Lanka)  
Photographed by: Nimal Adikaram

## References

---

- Abayasekara, C.L., Adikaram, N.K.B., Wanigasekara, U.W.N.P. and Bandara, B.M.R. (2013). *Phyllosticta musarum* infection-induced defences suppress anthracnose disease caused by *Colletotrichum musae* in banana fruits cv 'Embul'. *The Plant Pathology Journal* 29 (1): 77-86.
- Abeygunawardhana, D.V.W. (1969). *Diseases in cultivated plants*. Their diagnosis and treatment in Ceylon. The Colombo Apothecaries Co. Ltd., Colombo 287 pp.
- Abeywickrama, K. and Bean, G.A. (1992). Cytotoxicity of *Fusarium* species mycotoxins and culture filtrates of *Fusarium* species isolated from the medicinal plant *Tribulus terrestris* to mammalian cells. *Mycopathologia* 120: 189-193.
- Abeywickrama, K., Wijerathna, C., Rajapaksha, N., Sarananda, K. and Kannangara, S. (2012). Disease control strategies for extending storage life of papaya (*Carica papaya*), cultivars 'Red Lady' and 'Rathna'. *Ceylon Journal of Science (Bio. Sci.)* 41(1): 27-34.
- Adikaram, N.K.B. (1986/87). A survey of postharvest losses in some fruits and vegetables and the fungi associated with them. *Ceylon Journal of Science (Bio. Sci.)* 19&20: 1-10.
- Adikaram, N.K.B. (2004). Fungal taxonomy and current status of knowledge of fungi of Sri Lanka. *Biodiversity Secretary, Ministry of Environment National Workshop on Current Status of Lower Plants in Sri Lanka, 28<sup>th</sup> October 2004, Peradeniya (Abs.)*.
- Adikaram, N.K.B. and Karunaratne, A. (1998). Suppression of anthracnose and stemend rot in avocado by endogenous antifungal substances and a natural inhabitant *Pestalotiopsis* sp. *Proceedings of an International Workshop, Chiang Mai, Thailand, 18-21 May 1997, ACIAR Proceedings No. 80. Disease Resistance in Fruit*, 72-77.
- Adikaram, N.K.B. and Theivendirarajah, K. (1981). Studies on the storage of avocado fruits and their spoilage organisms. *Ceylon Journal of Science (Bio. Sci.)* 14(1&2): 8387.
- Adikaram, N.K.B. and Weeraratne, T.P. (2006). Biology of *Plumeria* leaf rust disease caused by *Coleosporium plumeriae*. *Ceylon Journal of Science (Bio. Sci.)* 35(2): 157-162.
- Adikaram, N.K.B. and Wijepala, M. (1995). *Asperisporium* black spot in *Carica papaya*: A new disease in Sri Lanka. *Journal of the National Science Council Sri Lanka* 23(4): 213219.
- Adikaram, N.K.B., Jayasinghe, L. and Dinesh Singh (2019). Postharvest diseases and their management – Tropical fruits Part 11. Pineapple and banana. In: Postharvest Pathology of Fruits and Vegetables. Ed. Dov Prusky and James Adaskaveg. *American Phytopathological Society Press, USA* (in press).
- Adikaram, N.K.B., Mailewa, G. and Weerahewa, D. (2002). Changes in pigment composition, acid metabolism etc. in *Pedilanthus tithimaloides* leaf following powdery mildew infection. *Journal of the National Science Foundation Sri Lanka* 30: 1-11.
- Adikaram, N.K.B., Ranawana, K.B. and Weerasuriya, A. (2007). *Forest die-back in the Horton Plains National Park*. Department of Wildlife Conservation, Sri Lanka, ISBN 95501580, 54 pp.
- Adikaram, N.K.B., Vithanage, I.S.K. & Yakandawala Deepthi (2013). New rust diseases in three ornamental plant species in Sri Lanka. *Tropical Agriculturist* 161: 53-55.
- Adikaram, N.K.B., Weerasooriya, A. and Mahaliyanage, T.D. (2001). Occurrence of red thread disease in the grasses of Horton Plains National Park. *Journal of the National Science Foundation Sri Lanka* 29 (3&4): 117-120.
- Agnihothrudu Y. (1961). Note on fungi from North-East India VII. Tunstalia gen. nov., causing 'Thorny Stem Blight of Tea' (*Camellia sinensis* O.Kuntze). *Phytopathology*. Z. 40: 277-282.
- Alahakoon, P.W., Jayawardana, N.H., Kalphashika, H.G. and K.C. Madushani (2008). Development of environmentally friendly control method to minimize fruits rot diseases of guava (*Psidium guava*), using plant extracts. *Annals of the Sri Lanka Department of Agriculture* 10: 19 - 29.
- Alahakoon, P.W., Jayawardana, N.H., Madhushani, K.C. and Ruvini, R.H.A.W. (2010). Effectiveness of some fungicides and herbal extracts to control the powdery mildew (*Oidium nephelii*) in rambutan during wet and dry weather conditions. *Annals of the Sri Lanka Department of Agriculture* 12: 267-271.

- Anthony, S., Abeywickrama, K., Dayananda, Wijeratnam, R.S.W. and Arambewela, L. (2004). Fungal pathogens associated with banana fruit in Sri Lanka, and their treatment with essential oils. *Mycopathologia* 157(1): 91- 97.
- Araskesasry, S.J., Bowleeswaran, B., Atputhachandran, P., Hearth, S. and B.G.R.C. Balasooriya (2016). A promising multiplier onion (*Allium cepa*) line with field resistance to major fungal diseases and possessing moderate flowering efficiency. *Annals of Sri Lanka Department of Agriculture*. 18: 37– 45.
- Arnolds, E. J. M. and de Vries, B. (1993). Conservation of fungi in Europe. In: D. N. Pegler, et al. (eds.), *Fungi of Europe: Investigation, Recording & Conservation*. Royal Botanic Gardens, Kew. pp. 211–230
- Arulpragasam, P. V. (1988). *Report on Plant Pathology Division*. Technical Report. TRI Annual Report, 68-79.
- Arulpragasam, P. V. (1989). Root diseases of tea, *Tea Bulletin* 8(1): 23–29.
- Balasuriya, A. (2008). Common diseases of tea and their management. In: *Handbook on Tea*. Tea Research Institute of Sri Lanka, Talawakelle, Sri Lanka, pp. 173–209.
- Balasuriya, A. and Adikaram, N.K.B. (2009). Some spatial, temporal and spatio-temporal considerations of wood decay of tea (*Camellia sinensis*), caused by *Nemania diffusa* (Syn. *Hypoxylon vestitum*). *Crop Protection* 28(3): 273-279.
- Bandara, R.H. and Attanayake, R.N. (2016). Phylogenetic complexity of *Lasiodiplodia* species found in Sri Lankan dry zone forests. In *proceedings of the 16th Conference of the Science Council of the Asia, Colombo, Sri Lanka. 30th May – 1st June 2016*. 221 pp.
- Bandara, R.H., Deraniyagala, S.R.A.S. and Attanayake, R.N. (2016). *Pleurostomophora richardsiae* associated with decaying woods in a dry zone forest of Sri Lanka. In *Proceedings of the International Research Symposium on Pure and Applied Sciences (IRSPAS 2016)*, Faculty of Science, University of Kelaniya, Sri Lanka. p 16.
- Benkert, D. (1982). Vorläufige Liste der verschollenen und gefährdeten Grosspilzarten der DDR. *Boletus* 6: 21–32.
- Berkeley, M.J. (1842). Enumeration of fungi, collected by H. Cuming, Esq. F.L.S. in the Philippine Islands. *London Journal of Botany* 1(3): 142-157
- Berkeley, M.J. (1847). Decades of fungi. Decade XV-XIX. Ceylon fungi. *London Journal of Botany* 6: 479-514.
- Berkeley, M.J. and Broome, C.E. (1871). The fungi of Ceylon. (Hymenomycetes, from *Agaricus* to *Cantharellus*). *Botanical Journal of the Linnean Society* 11: 494-567
- Berkeley, M.J. and Broome, C.E. (1873). Enumeration of the fungi of Ceylon. Part II. *Journal of the Linnean Society, Botany*. 14: 29-141
- Berkeley, M.J. and Broome, C.E. (1877). Supplement to the enumeration of fungi of Ceylon. *Botanical Journal of the Linnean Society* 15: 82-86.
- Berkeley, M.J. and Curtis, M.A. (1869). Fungi *Cubenses* (Hymenomycetes). *Journal of the Linnean Society* 10: 280-392
- Boedijn, K.B. (1940). The Mycetozoa, fungi and lichens of the Krakatau group. *Bulletin du Jardin Botanique de Buitenzorg* 16(4): 358-429
- Boedijn, K.B. (1951a). Notes on Indonesian fungi. The genus *Amanita*. *Sydowia* 5(3-6): 317-327
- Boedijn, K.B. (1951b). Some mycological notes. *Sydowia* 5(3-6): 211-229
- Bond, T.E.T. (1947). Notes on Ceylon fungi and plant diseases Part I (1 – 15). *Ceylon Journal of Science* (A) XII (4): 171–193.
- Cheanieha Queen, A., Safeena, M.I.S. and M.C.M. Zakeel (2016). Identification of suitable potential pathogens for biocontrol of water hyacinth [*Eichhornia crassipes* Mart. Solms]. *5th Annual Science Research Sessions 2016, South Eastern University of Sri Lanka* 231–236.
- Chee, K. H. (1969). Variability of *Phytophthora* species from *Hevea brasiliensis*. *Transactions of the British Mycological Society* 52: 425-436.
- Chee, K. H. and Wastie, R. L. (1970). Black pod disease of cacao. *Planter, Kuala Lumpur* 46, 294-297.
- Comstock, L.C. (2000). Eye spot. In *A Guide to Sugarcane Diseases* (Ed.) Philippe Rott. CIRAD, 339 pp.

- Corner, E.J.H. (1966). A monograph of *Cantharellloid fungi*. 1-255
- Corner, E.J.H. (1969). Notes on cantharellloid fungi. *Nova Hedwigia* 18: 783-818
- Corner, E.J.H. and Bas, C. (1962). The genus *Amanita* in Singapore and Malaya. *Persoonia* 2(3): 241- 304
- Cunningham, D.D. (1895). A new and parasitic species of *Choanephora*. *Annals of the Royal Botanic Gardens Peradeniya* 6: 169.
- Dahanayake, S. and Wijesundera, R. L. C. (1994). *Penicillium purpurogenum* on fruits of *Averrhoa bilimbi*. *Journal of the National Science Council Sri Lanka* 22: 23-24.
- Dahlberg, A. and Mueller, G.M. (2011). Applying IUCN red-listing criteria for assessing and reporting on the conservation status of fungal species. *Fungal Ecology* 4: 147-16.
- Damunupola, J.W. and Adikaram, N.K.B. (2000). Response of two pineapple cultivars to black rot disease caused by *Thielaviopsis paradoxa*. *Proceedings of Annual Research Sessions, University of Peradeniya, Sri Lanka*, p 21.
- Dantanarayana, D. M., Peries, O.S. and A. de S. Liyanage (1984). Taxonomy of *Phytophthora* species isolated from rubber in Sri Lanka. *Transactions British Mycological Society* 82(1): 113-126.
- De Silva, R.S.Y., Vithanage, K.D. and Kelaniyangoda, D.B. (2005). Import risk analysis (IRA) of *Carnation*. *Annals of the Sri Lanka Department of Agriculture* 7: 67-86.
- Dennis, R.W.G. (1961). Fungi venezuelani: IV, Agaricales. *Kew Bulletin* 15(1):67-156
- Department of Export Agriculture, Sri Lanka [http://www.exportagridept.gov.lk/web/index.php?option=com\\_view&article&id=128&Itemid=159&lang=en](http://www.exportagridept.gov.lk/web/index.php?option=com_view&article&id=128&Itemid=159&lang=en)
- Dissanayaka, D. M. S., Adikaram, N. K. B. and Yakandawala, D. M. D. (2016). Morphological and molecular characterization of *Colletotrichum* causing anthracnose in ripe avocado (*Persea americana* Mill.). *Proceedings of The Peradeniya University International Research Sessions, iPURSE 2016*, 4<sup>th</sup> and 5<sup>th</sup> November 2016. 20: 378.
- Dissanayaka, N. and Wickramasinghe, D.B. (1999). Effect of N, P and K application on the occurrence and severity of narrow brown leaf spot in different rice varieties. In: *Proceedings of the Annual Symposium of DOA*, 267-276.
- Ediriweera, S.S., Wijesundera, R.L.C., Nanayakkara, C.M. and Weerasena, O.V.D.S.J. (2014). Microfungi from the Sigiriya wilderness in Sri Lanka. *Journal of Mycopathological Research* 52(1): 47 – 51.
- Fayod, M.V. (1889). Prodrome d'une histoire naturelle des Agaricinés. *Annales des Sciences Naturelles Botanique. ser. 7* 9: 181-411
- Fernando, L. and Abeywickrama, L. (1996). Isolation of toxicogenic fungi from commercially available medicinal plant material. *Journal of National Council of Sri Lanka*. 24(1): 80-88.
- Fernando, T., Senaviratne, P., Siriwardane, D. and Madushani, H. (2016). White root disease of *Murraya koenigii* from Sri Lanka caused by *Rigidoporus microporus*. *Journal of the National Science Foundation Sri Lanka* 44(3): 347-348.
- Fries, E. (1838). *Epicrisis Systematis Mycologici*. :1- 610
- Fries, E.M. (1821). *Systema Mycologicum* 1: 1-520
- Fries, E.M. (1825). *Systema Orbis Vegetabilis*. 1:1-374 Fries, E.M. (1830). Eclogae fungorum, praecipue ex herbarus germanorum de scriptorum. *Linnaea*. 5: 497-553
- Fries, E.M. (1832). *Systema Mycologicum*. 3:261-524.
- Gray, S.F. (1821). *A natural arrangement of British plants* 1: 1-824
- Gunasekera, S. A, Liyanage, N. P. and Rice, T. V. (1985). *Choanephora* blight of winged bean flowers in Sri Lanka. *Transactions of the British Mycological Society* 85: 344-345.
- Gunawardana, A.G.K. and Bandara, J.M.R.S. (1993). *Silver scurf disease of potato in Sri Lanka*. Faculty of Agriculture, University of Peradeniya, Sri Lanka.
- Gunawardena, H. (1955). Stem Bleeding of Coconuts. *Ceylon Coconut Quarterly* VI: 89-96.
- Guruge, B.M.A., Somachandra, K.P. and Attanayake, R.N. (2015). *Sclerotinia sclerotiorum* causing cabbage head rot in Sri Lanka. *Proceedings of the 35th Annual Sessions of the Institute of Biology, 25th September 2015*, 74.
- Guzmán, G. (1983). The genus *Psilocybe*. A systematic revision of the known species including the history, distribution and chemistry of the hallucinogenic species. *Beihefte zur Nova Hedwigia* 74: 1-439

- Habarakada, R. and S.N. de S. Seneviratne(1987). *Alternaria brassicicola*, a pathogen causing leaf diseases in crucifer vegetables. *Proceedings of the 43<sup>rd</sup> Annual Sessions of the Sri Lanka Association for Advancement of Sciences* 43 (1): 84(Abs.)
- Heim, R. (1942). Nouvelles études descriptives sur les agarics termitophiles d'Afrique tropicale. *Archives du Muséum National d'Histoire Naturelle* 18:107-166
- Heinemann, P. (1981). *Hymenagaricus* Heinem. gen. nov. (Agaricaceae). *Bulletin du Jardin Botanique National de Belgique* 51(3-4): 465-466
- Heinemann, P.; Little Flower, Sr. (1984). *Hymenagaricus* (Agaricaceae) de Kerala (Inde) et de Sri Lanka. *Bulletin du Jardin Botanique National de Belgique* 54(1-2): 151-182
- Hennings, P. (1900). Fungi monsunenses. *Monsunia* 1: 137-174
- Hewage, L.C., Ekanayaka, H.M.R.K., Fernando, K.N.S., Nimalananda, N.P.H., Fernando W.M.R. and Weerasinghe, R.U. (2007). Insect, mite and diseases infestations in export foliage nurseries in Sri Lanka. *Annals of the Sri Lanka Department of Agriculture* 9: 227 - 232.
- Höhnel, F. von. (1909). Fragmente zur Mykologie: VI. Mitteilung (Nr. 182 bis 288). *Sitzungsberichte der Kaiserlichen Akademie der Wissenschaften Math.-naturw. Klasse Abt. I.* 118: 275-452
- Höhnel, F. von. (1914). Fragmente zur Mykologie XVI (XVI. Mitteilung, Nr. 813 bis 875). *Sitzungsberichte der Kaiserlichen Akademie der Wissenschaften Math.-naturw. Klasse Abt. I.* 123: 49-155
- Horak, E. (1978). *Mycena rorida* (Fr.) Quél. and related species from the Southern Hemisphere. *Berichte der Schweizerischen Botanischen Gesellschaft* 88 (1-2): 20-29
- Horak, E. (1980). *Inocybe* (Agaricales) in Indomalaya and Australasia. *Persoonia* 11: 1-37
- Hunupolagama, D.M., Chandrasekharan, N., Kathriarachchi, H.S., Wijesundera, S. and Wijesundera, R.L.C. (2017). Unveiling members of the *Colletotrichum acutatum* Species Complex causing *Colletotrichum leaf disease of Hevea brasiliensis* in Sri Lanka. *Current Microbiology* 74(6): 747-756.
- Hunupolagama, D.M., Wijesundera, R.L.C., Chandrasekharan, N.V., Wijesundera, W.S.S., Kathriarachchi, H.S., Fernando, T.H.P.S. (2015). Characterization of *Colletotrichum* isolates causing avocado anthracnose and first report of *olletotrichum gigasporum* infecting avocado in Sri Lanka. *Plant Pathology & Quarantine* 5(2): 132-143.
- Indrakeerthi, S.R.P. and Adikaram, N.K.B.(2011). Control of crown rot of banana using *Carica papaya* latex. *Journal of the National Science Foundation Sri Lanka* 39(2): 155-162.
- Jayasekara, E.A.E.S.S., Somachandra, K.P., Gunasekara, W.M.S. Gunawardhana, K.K.N.N. and G A R. Somasiri (2016). An action threshold and a fungicide spraying schedule for rust and angular leaf spot in bean. *Annals of Sri Lanka Department of Agriculture*. 18: 241-244.
- Jayasinghe, C.K. (1993). Natural occurrence of *Thanatephorus cucumeris* leaf spots on *Hevea brasiliensis* in Sri Lanka. *Plant Pathology* 42: 473-474.
- Jayasinghe, C.K. and Fernando, T.H. (2004). Re-identification and characterization of pathogens causing ugurassa (*Flacourtie inermis*) fruit anthracnose. *Mycopathologia* 157(1): 81-85.
- Jayasinghe, C.K. and Silva, W.P.K. (1994) Foot canker and sudden wilt of *Hevea brasiliensis* associated with *Nattrassia mangiferae*. *Plant Pathology* 43: 938-940.
- Jayasinghe, C.K. and Wijesundera, R.L.C. (1995). *In vitro* evaluation of fungicides against the clove isolate of *Cylindrocladium quinqueseptatum*. *International Journal of Pest Management* 41: 219-223.
- Jayasinghe, G.G., Wasantha Kumara Liyanage, Wijayawardhana, M.W.G.C., Priyangika, K.M.M., Samaraweera, D.N. and K. G. G. Wijesinghe (2017). A study of rough bark disease on cinnamon (*Cinnamomum zeylanicum* Blume); disease symptoms, development and the causal agent with special reference to its morphology, histopathology and nutritional statutes of affected plants. *Proceedings of the symposium on minor export crops (Ed: B. Marambe) 16 – 17 March 2017, Peradeniya, Sri Lanka* 63 – 72.
- Jayawardana, W.A.D., Jayasekera, G.A.U., Wijesundera, R.L.C., Dissanayake, D.M.N., Sooriyapathirana, S.D.S.S., Weebadde, C.K., Perera, K.L.N.S., Gunapala, K.R.D. and Hettige, P. (2015). Evaluation

- of DNA markers linked to blast resistant genes, Pikh, Pit (p), and Pita, for parental selection in Sri Lankan rice breeding. *Tropical Agricultural Research* 26(1): 82–93.
- Jeyanandarajah, P. and Liyanage, T. (1995a). Fungi in seed crops of radish (*Ruphanus sativus* L.) raised at Kandapola. *Proceedings of the 51<sup>st</sup> Annual Sessions of the Sri Lanka Association for Advancement of Sciences* 51(1): 48 (Abs.)
- Jeyanandarajah, P. and Liyanage, T. (1995b). The occurrence of scurf fungus, *Moniliochaetes infuscans* Halst. Ex. Harter in sweet potato (*Ipomoea batatas*). *Proceedings of the 51<sup>st</sup> Annual Sessions of the Sri Lanka Association for Advancement of Sciences* 51(1): 99 (Abs.)
- Jeyanandarajah, P. and Wijesooriya, M. (1997). Fungal infections in some foliage plants. *Proceedings of the 42<sup>nd</sup> Annual Sessions of the Sri Lanka Association for Advancement of Sciences* 42(1): 53(Abs.)
- Kalchbrenner, C. (1881). Fungi Macowaniani. *Grevillea* 9(52): 131-137
- Kalchbrenner, K. (1880). Fungi of Australia. I. Basidiomycetes. *Grevillea* 8(48): 151-154
- Kanakaratne, N.S. and Adikaram, N.K.B. (1985). Preliminary investigations on the mango anthracnose. *Proceedings of the 46th Annual Sessions of the Sri Lanka Association for Advancement of Sciences* 41(1): 57 (Abs.)
- Kühner, R. (1935). Le genre Galera (Fries) Quélét. *Encyclopédie Mycologique* 7: 1-240
- Kularatne, R.S (1997). Evaluation of a population of coffee Arabica cultivar Catimor for the response towards the leaf rust disease caused by *Hemilleia vastatrix* B & Br. *Proceedings of the 53<sup>rd</sup> Annual Sessions of the Sri Lanka Association for Advancement of Sciences* 53(1): 47(Abs.)'
- Kummer, P. (1871). Der Führer in die Pilzkunde. 1-146
- Leelananda, G., Jayatilake, G.A. and Sunil, H.K. (2000). Use of *in vitro* techniques for early screening of sugarcane lines against smut (*Ustilago scitaminae*) disease. *Proceedings of the 56<sup>th</sup> Annual Sessions of the Sri Lanka Association for Advancement of Sciences* 56(1): 88(Abs.)
- Léveillé, J.H. (1844). Champignons exotiques. *Annales des Sciences Naturelles Botanique* 2: 167-221
- Linder, D.H. (1929). A monograph of the helicosporous Fungi Imperfici. *Annals of the Missouri Botanical Garden* 16: 227-348.
- Liyanage A. de S., Jayasinghe C.K., Liyanage N.I.S. and Jayaratne A. H. R. (1986). *Corynespora* leaf spot disease of rubber (*Hevea brasiliensis*): a new record. *Journal of the Rubber Research Institute of Sri Lanka* 65, 47 – 50. Liyanage, N. I. S. (1989). *Phytophthora citricola* on rubber in Sri Lanka. *Plant Pathology* 38(3): 438-439.
- Liyanage, N. I. S. (1989). *Phytophthora citricola* on rubber in Sri Lanka. *Plant Pathology* 38(3): 438–439.
- Lloyd (1913). *Mycological Writing* 4 (Letter 47): 13
- Loos, C. A. (1951). Pathological problems. *Tea Quarterly* 22: 27–30.
- Maharachchikumbura, S.S.N. and Adikaram, N.K.B.(2009). Occurrence of leaf blotch disease in (*Botryosphaeria* sp.) in *Ficus religiosa* in Sri Lanka. *Ceylon Journal of Science (Bio. Sci.)* 38(2):51-56.
- Mahendranathan C, Terry LA and Adikaram N.K.B. (2010). Biological elicitation of resistance against anthracnose in aubergine. *Acta Horticulturae* 877: 1589-1595.
- Mahendranathan, C., Wijesundera, R.L.C. and Adikaram, N.K.B. (2011). First report of *Colletotrichum acutatum* on anthracnose of peppers (*Capsicum annum*) in Sri Lanka. *18<sup>th</sup> Australasian Plant Pathology Society Conference*, Darwin, Australia, 119.
- Mahindapala, R. (1978). Pest and diseases of coconut and their control. *Ceylon Coconut Quarterly* 29: 97–102.
- Malençon, G. (1966). *Laccaria lateritia* n. sp., espèce thermophile. *Bulletin de la Société Mycologique de France* 82: 181-189
- Mithrasena, V.J.P.K. and Wijesundera, R.L.C. (1989). Factors affecting growth and sporulation of *Sarocladium oryzae*, the rice sheath blight pathogen. *Proceedings of the 46<sup>th</sup> Annual Sessions of the Sri Lanka Association for Advancement of Sciences* 45(1): 26 (Abs.)
- Mithrasena, Y.J.P.K., Silva, J.N., Adikari, A.A.W.P., Weerasingha, W.M.S.K. and Sumanasingha, H.P.D. (2012). Identification and management of brown

- leaf spot and grain discolouration diseases of rice (*Oryza sativa* L.) in Sri Lanka. *Annals of the Sri Lanka Department of Agriculture* 14: 77-86.
- Montagne, J.P.F.C. (1842). Cryptogamae nilgherienses seu plantarum cellularium in montibus peninsulae indiciae Neel-Gherries dictis a cl. Perrotet collectarum enumeratio. *Annales des Sciences Naturelles Botanique*. sér. 2, 18: 12-23
- Montagne, J.P.F.C. (1854). Cryptogamia Guyanensis seu plantarum cellularium in Guyana gallica annis 1835-1849 a cl. Leprieur collectarum enumeratio universalis. *Annales des Sciences Naturelles Botanique* 1: 91-144
- Norris, R.V. (1930). Quarterly Report on the work of the Scientific Staff, Tea Research Institute. *Tea Quarterly* 3: 132-137.
- Padmathilake, K.G.E., Bandara, H.M.S.K.H., Qader, M.M., Kumar, N.S., Jayasinghe, L., Masubuti, H. and Fujimoto, Y. (2017). Talarofuranone, a new talaroconvolutin analog from the endophytic fungus *Talaromyces purpurogenus* from *Pouteria campechiana* Seeds. *Natural Product Communications* 12(4): 489-90.
- Park, M. and Chandraratne, M.F. (1940). Recent research in Ceylon on the Frog Eye disease in cigarette tobacco. *Tropical Agriculturist* XCV, 19-21.
- Patouillard, N. (1900). Essai taxonomique sur les familles et les genres des Hyménomycètes. 1-184.
- Patouillard, N.T. (1888). Quelques points de la classification des Agaricines. *Journal de Botanique (Morot)* 2: 12-16
- Patouillard, N.T. (1889). Fragments mycologiques. Notes sur quelques champignons de la Martinique. *Journal de Botanique (Morot)*, 3: 335-343
- Pegler, D.N. (1972). A revision of the genus *Lepiota* from Ceylon. *Kew Bulletin* 27(1): 155-202
- Pegler, D.N. (1977). A preliminary Agaric flora of East Africa. *Kew Bulletin Additional Series* 6:1-615
- Pegler, D.N. (1983). Agaric flora of the Lesser Antilles. *Kew Bulletin Additional Series* 9:1-668
- Pegler, D.N. (1986). Agaric flora in Sri Lanka. *Kew Bulletin Additional Series XII*. Kew, London: Royal Botanical Gardens, 519 pp
- Pegler, D.N. and Rayner, R.W. (1969). A contribution to the agaric flora of Kenya. *Kew Bulletin*. 23(3): 347-412
- Peries, O.S. (1974). *Ganoderma* basal stem rot of coconut: A new record of the disease in Sri Lanka. *Plant Disease Reporter* 58(4): 293-295.
- Petch, T. (1906). Descriptions of new Ceylon fungi. *Annals of the Royal Botanic Gardens Peradeniya* 3(1), 1-10.
- Petch, T. (1909). New Ceylon fungi. *Annals of the Royal Botanic Gardens Peradeniya* 4, 299-307.
- Petch, T. (1910). Revisions of Ceylon fungi (Part II). *Annals of the Royal Botanic Gardens Peradeniya* 4: 373-444.
- Petch, T. (1912). Revisions of Ceylon fungi (Part III). *Annals of the Royal Botanic Gardens Peradeniya*. 5: 265-301
- Petch, T. (1912). Ustilagineae and Uredineae of Ceylon. *Annals of the Royal Botanic Gardens Peradeniya* 5(4):2 23-256.
- Petch, T. (1916). A preliminary list of Ceylon Polypori. *Annals of the Royal Botanic Gardens Peradeniya* 6(2): 87-144.
- Petch, T. (1917). Additions to Ceylon fungi. *Annals of the Royal Botanic Gardens Peradeniya* 6(3): 195-256.
- Petch, T. (1918). Fungus diseases of the food crops in Ceylon. *The Tropical Agriculturist* 50(3): 159- 163.
- Petch, T. (1919). Revisions of Ceylon fungi (Part VI). *Annals of the Royal Botanic Gardens Peradeniya* 7(1): 1-44.
- Petch, T. (1920). Hypocreaceae zeylanicae. *Annals of the Royal Botanic Gardens Peradeniya*. 7(2): 85-138.
- Petch, T. (1922). Additions to Ceylon fungi II. *Annals of the Royal Botanic Gardens Peradeniya*. 7(4): 279-322.
- Petch, T. (1923). *The Diseases of the Tea Bush*. McMillan and Co. Ltd., London, 220 pp.
- Petch, T. (1924). Revisions of Ceylon fungi (Part VII). *Annals of the Royal Botanic Gardens Peradeniya* 9(2): 119-184.

- Petch, T. (1925). Additions to Ceylon fungi. III. *Annals of the Royal Botanic Gardens Peradeniya* 9(3)" 313-328.
- Petch, T. (1926). Additions to the Ceylon fungi, IV. Basidiomycetes. *Annals of the Royal Botanic Gardens Peradeniya* 10(1): 131-138.
- Petch, T. (1927). Revisions of Ceylon fungi. VIII. *Annals of the Royal Botanic Gardens Peradeniya*. 10: 161-180.
- Petch, T. (1944). Ceylon fungi, new and old. *Transactions of the British Mycological Society*. 27: 137-147.
- Petch, T. (1945). Ceylon fungi, new and old. Op. Cit. xxvii, pp. 137 – 147.
- Petch, T. (1947). A revision of Ceylon *Marasmii*. *Transactions of the British Mycological Society* 31(1): 19-44
- Petch, T. and Bisby, G.R. (1950). *The fungi of Ceylon*. Ceylon Government Press, Colombo, Ceylon 111 pp.
- Pilát, A. (1950). Revision of the types of some extra-european species of the genus *Crepidotus* Fr. *Transactions of the British Mycological Society* 33(3-4): 215-249
- Piyasena, K.N.P., Wickramarachchi, W.A.R.T., Kumar, N.S., Jayasinghe, L. and Fujimoto, Y. (2015). Two phytotoxic azaphilone derivatives from *Chaetomium globosum*, a fungal endophyte isolated from *Amaranthus viridis* leaves. *Mycology* 6 (3-4): 158-160.
- Priyantha, M.G.D.L., Piyadasa, S.G., Jayasinghe, J.V. and Kannangara, N.W.D.A.D. (2009). Occurrence of *Phomopsis* cane and leaf spot disease in grapes in Sri Lanka and its management. *Annals of the Sri Lanka Department of Agriculture* 11: 95–104.
- Qader, M., Kumar, N., Jayasinghe, L. and Fujimoto, Y. (2015). Production of antitumor antibiotic GKK1032B by *Penicillium citrinum*, an endophytic fungus isolated from *Garcinia mangostana* fruits. *Medicinal & Aromatic Plants* 5: 225.
- Quélet, L. (1888). Flore mycologique de la France et des pays limitrophes: 1-492
- Rabeendran, N. and Raveendranath, S. (1990). Testing the efficacy of some selected fungicides against *Fusarium solani* causing wilt in Jojoba plant (*Simmondsia chinensis*). *Proceedings of the 46th Annual Sessions of the Sri Lanka Association for Advancement of Sciences* 46(1): 122 (Abs.).
- Rajapakse, R. G. A. S., Weerarathna, W. A. P. G. and Priyantha, M. G. D. L. (2003). In Fifty Years of Research 1950-2000: Plant Pathological Research at Mahalluppallama. Eds. P.B. Dharmasena H. Samarathunge and M.S. Nijamudeen. *Field Crops Research and Development Institute, Department of Agriculture, Mahalluppallama, Sri Lanka*.
- Rajapakse, R.G.A.S. and Edirimanna, E.R.S.P. (2002). Management of bulb rot in big onion (*Allium cepa* L.) during storage using fungicides. *Annals of the Sri Lanka Department of Agriculture* 4: 319–326.
- Rajapakse, R.G.A.S., Sakalasuriya, S.M.I.S.K., Kahawatta, J., Sumanapala, R.V., Edirimanna, E.R.S.P. (2005). Identification of races of *Fusarium* wilt pathogen of banana in Sri Lanka and selection of resistant germplasm. *Annals of the Sri Lanka Department of Agriculture* 7: 225–232.
- Rajapakse, R.H.S. and Wasantha Kumara, K.L. (2007). A Review of Identification and management of pests and diseases of Cinnamon (*Cinnamomum zeylanicum* Blume). *Tropical Agricultural Research & Extension* 10: 1-10.
- Ramanathan, N., Sivakadacham, B. and Theivendirajah, K. (1988). A new isolate of *Sclerotium rolfsii* Sacc. causing bulb rot in onion (*Allium cepa* L. variety Poona red). *Journal of the National Science Foundation Sri Lanka* 16(2): 183–194.
- Ratnayake, R., Daundasekera, W.A.M., Ariyaratne, H.M. and Ganehenege, M.Y.U. (2016b). Some biochemical defense responses enhanced by soluble silicon in bitter gourd-powdery mildew pathosystem. *Australasian Plant Pathology* 45(4): 425-443.
- Ravindranatha, S. and Kugathasan, S.M. (1990). Efficacy of different fungicides on purple blotch disease (*Alternaria porri*) of Red onion (*Allium ascolonicuma*), *Proceedings of the 46<sup>th</sup> Annual Sessions of the Sri Lanka Association for Advancement of Sciences* 46 (1): 44
- Reid, D.A. (1975). Type studies of the larger Basidiomycetes described from South Africa. *Contributions from the Bolus Herbarium* 7: 1-255.
- Saccardo, P.A. (1886). Sylloge Hyphomycetum. *Sylloge Fungorum* 4:1-807

- Saccardo, P.A. (1887). Sylloge Hymenomycetum, Vol. I. Agaricineae. *Sylloge Fungorum*. 5: 1-1146
- Saccardo, P.A. (1891). Supplementum Universale, Pars I. Agaricaceae-Laboulbeniaceae. *Sylloge Fungorum* 9: 1-1141
- Saccardo, P.A. (1895). Supplementum Universale, Pars. III. *Sylloge Fungorum* 11: 1-753
- Saccardo, P.A. and Paoletti, G. (1888). Mycetes Malacenses. Funghi della penisola di Malacca raccolti nel 1885 dell' Ab. Benedetto Scortechini. *Atti dell'Istituto Veneto Scienze* 6: 387-428
- Samarajeewa, P.K. and Rathnayaka, R.M.U.S.K. (2004). Disease resistance and genetic variation of wild relatives of okra (*Abelmoschus esculentum L.*). *Annals of the Sri Lanka Department of Agriculture* 6: 167-176.
- Sapumohotti, W.P. (1995). Frequency of sectoring of *Fusarium oxysporum* f. sp. Niveum, the causal organism of vascular wilt disease in watermelon. *Proceedings of the 51<sup>st</sup> Annual Sessions of the Sri Lanka Association for Advancement of Sciences* 51(1): 102 (Abs.).
- Senanayake, P.D., Mohotti, K. and Paranagama, P.A. (2015). Identification and substrate utilization of fungi associated with low country termite, *Glyptotermes delatatus* Bugnion & Popoff and the host plant *Camellia sinensis* LO. Kuntza. *Journal of the National Science Council Sri Lanka* 44(2):175-184.
- Senevirathna, J.G.D.T. and Takayuki Aoki (2009). Morphological and molecular identification of *Fusarium verticillioides* in Maize. *Annals of the Sri Lanka Department of Agriculture* 10: 191- 198.
- Seneviratne S.N. de S. (1978). Rice diseases in Sri Lanka – Review. *Proceedings of the 34<sup>th</sup> Annual Sessions of the Sri Lanka Association for Advancement of Sciences* 34 (1): 19 (Abs.).
- Seneviratne, S.N. de S. and Jeyanandarajah, P. (2004). Rice diseases - problems and progress. *Tropical Agricultural Research and Extension* 7:30-48.
- Singer, R. (1945). The *Laschia* complex (Basidiomycetes). *Lloydia* 8: 170-230
- Singer, R. (1946). Type studies on Agarics-II. *Lloydia* 9: 114-131
- Singer, R. (1948). New and interesting species of Basidiomycetes. II. *Papers of the Michigan Academy of Sciences* 32: 103-150
- Singer, R. (1949). The Agaricales in modern taxonomy. *Lilloa* 22: 1-832
- Singer, R. (1951). Type studies on Basidiomycetes V. *Sydowia* 5(3-6): 445-475
- Singer, R. (1955). Type studies on Basidiomycetes VIII. *Sydowia* 9(1-6): 367-431
- Singer, R. (1958). Fungi Mexican, series Prima, Agaricales. *Sydowia* 11: 354-374
- Singer, R. (1960). Monographs of South American Basidiomycetes, especially those of the east slope of the Andes and Brazil. 3. Reduced marasmoid genera in South America. *Sydowia*. 14: 258-280
- Singer, R. (1961). Mushrooms and Truffles: Botany, *Cultivation and Utilization*. 1-272
- Singer, R. (1962). Diagnoses fungorum novorum Agaricalium II. *Sydowia* 15(1-6): 45-83
- Singer, R. (1973). Diagnoses fungorum novorum Agaricalium III. *Beihefte zur Sydowia* 7:1-106
- Singer, R. (1976). Marasmiceae (Basidiomycetes - Tricholomataceae). *Flora Neotropica* 17: 1-347
- Singer, R. (1982). *Hydropsus* (Basidiomycetes-Tricholomataceae-Myceneae). *Flora Neotropica* 32: 1-153
- Singer, R. (1966). Notes on cyphellaceous fungi. *Darwiniana* 14: 9-18
- Sinniah Ganga Devi (2010). Inflorescence diseases and natural disease resistance in mango in relation to anthracnose development'. Ph.D Thesis. University of Peradeniya, Sri Lanka.
- Sinniah, G.D., Adikaram, N.K.B. and Abayasekara, C.L. (2012). First report of *Cladosporium* infection of mango inflorescence in the mid-country of Sri Lanka. *Tropical Agriculturist* 160: 139-148.
- Sinniah, G.D., Adikaram, N.K.B., Vithanage, I.S.K., Abayasekara, C.L., Maymon, M. and Freeman, S. (2013). First report of mango malformation disease caused by *Fusarium mangiferae* in Sri Lanka. *Plant Disease* 97(2): 427-429.
- Sivakumar, D., Wijeratnam, R.S.W., Wijesundera, R.L.C. and Abeyesekera, M. (1997). Postharvest diseases

- of rambutan (*Nephelium lappaceum* Linn.) in the Western Province of Sri Lanka. *Journal of the National Science Council Sri Lanka* 25: 225-229.
- Sivanathan, S. and Adikaram, N.K.B. (1985). In vivo and in vitro toxin production by *Macrophomina phaseolina*. *Proceedings of the 46th Annual Sessions of the Sri Lanka Association for Advancement of Sciences* 41(1): 56(Abs.).
- Sumith, J.A. and Bandara, J.M.R.S (2002). Effect of potassium on the development and severity of damping-off in Tobacco (*Nicotiana tabacum* L.). *Annals of the Sri Lanka Department of Agriculture* 4: 319-326
- Udugama, S. (2002). Septoria leaf spot disease of banana *Mycosphaerella eumusae*. *Annals of the Sri Lanka Department of Agriculture* 4: 337-343.
- Vithanage, I.S., Adikaram Nimal and Yakandawala Deepthi (2014). Molecular and morphological characterization of *Colletotrichum* causing mango anthracnose in Sri Lanka. *Proceedings of the Peradeniya University International Research Sessions, University of Peradeniya, 4<sup>th</sup> & 5<sup>th</sup> July 2004*, 18: 572.
- Walker, J. (1972). Type studies on *Gaeumannomyces graminis* and related fungi. *Transactions of the British Mycological Society* 58:4 27-457.
- Webster, B.N. (1952). Report on Pathological Division. *TRI Bulletin* 34: 45-49.
- Weeraratne, W.A.P.G. and De Costa, D.M. (2018) Molecular identification of *Fusarium* spp. from wilt-infected tomato and brinjal plants in selected regions of Sri Lanka and endophytic bacteria as a potential option for disease management. *Tropical Agricultural Research* 30(1):3 2 – 43.
- Weeraratne, W.A.P.G. and Jayasinghe, J.A.V.J. (2006). *Physoderma* brown spot disease in hybrid Maize. *Annals of the Sri Lanka Department of Agriculture* 8: 273-279.
- Weeraratne, W.A.P.G. and Priyantha, M. G. D. L. (2003). First report of *Phoma* black stem of sunflower in Sri Lanka and its management. *Annals of the Sri Lanka Department of Agriculture* 5: 263-270.
- Weeraratne, W.A.P.G., Nanayakkara, N.L.A.T.S., Anushika, A.D. and Darmadasa, D.D.D. (2016). Occurrence of anthracnose (*Colletotrichum gloeosporioides* Penz.) and rust (*Gopalan dioscoreae* CUMMINS) diseases of *Dioscorea* in Sri Lanka. *Annals of Sri Lanka Department of Agriculture*. 18: 68-72.
- Wijesinghe, C.J., Wijeratnam, R.S.W., Smarasekera, J.K.R. and Wijesundera, R.L.C. (2010). Biological control of *Thielaviopsis paradoxa* on pineapple by an isolate of *Trichoderma asperellum*. *Biological Control* 53: 285-290.
- Wijesinghe, M.A.K and Rajapakse, P. (1997). Leaf twister disease in shallot onion *Fusarium oxysporum* f. sp. *Cepae*, *Colletotrichum gloeosporioides*. *Proceedings of the 53<sup>rd</sup> Annual Sessions of the Sri Lanka Association for Advancement of Sciences* 53(1): 50 (Abs.).
- Willis, K. J. (ed.) (2018). State of the World's Fungi 2018. Report. Royal Botanic Gardens, Kew.
- Dahlberg, A. & Mueller, G. M. (2011). Applying IUCN red-listing criteria for assessing and reporting on the conservation status of fungal species. *Fungal Ecology* 4: 147–162
- Wit, H.C.D. de (1959). *Rumphius Memorial Volume:* 292
- [https://stateoftheworldsfungi.org/2018/reports/SOTWFungi\\_2018\\_Full\\_Report.pdf](https://stateoftheworldsfungi.org/2018/reports/SOTWFungi_2018_Full_Report.pdf)